
# ITEM: PYTHON FIBER

Flap grinding discs in fiberglass and zirconium abrazive cloth. Bilamellar execution with conic shaped pads. Exploiting the abrasive cloth. The most wide spread in the world which guarantees an absolute balance between performance and profitability. Its fiberglass backing with conical geometry allows a uniform consumption of the cloth. Suitable for all types of stainless steel also cast Iron, alumium and light alloys.

Tech. Code G1219115040 G1219115060 G1219115080 G1219115120 115 x 22.2 mm Grit 40 60 80 120

| - |                        |       |                 |             |             |
|---|------------------------|-------|-----------------|-------------|-------------|
|   | Tech. Code G1219125040 |       | G1219125060     | G1219180040 | G1219180060 |
|   |                        |       |                 |             |             |
| 1 | Ø mm                   | 125 > | 22.2 180 x 22.2 |             | 22.2        |
|   | Grit                   | 40    | 60              | 40          | 60          |
|   |                        |       |                 |             |             |



#### ITEM: PYTHON PLASTIC

Flap grinding discs with plastic backing and zirconium oxide cloth, double-sided excution with flat shaped back pad. Its abrasive cloth ensures long-lasting, quality performance. Ideal for stainless steel, as well as cast-iron, aluminum, light alloys.

|        | Tech. Code | G1215115040 | G1215115060 | G1215115080 | G1215115120 |  |  |
|--------|------------|-------------|-------------|-------------|-------------|--|--|
|        |            |             |             |             |             |  |  |
| Ø      | mm         | 115 x 22.2  |             |             |             |  |  |
| Grit   |            | 40          | 60          | 80          | 120         |  |  |
| $\Box$ |            |             |             |             |             |  |  |

|      | Tech. Code | G1215125040 | G1215125060 | G1215180040 | G1215180060 |  |
|------|------------|-------------|-------------|-------------|-------------|--|
|      |            |             |             |             |             |  |
| Ø    | mm         | 125 >       | 22.2        | 180 x       | 22.2        |  |
| Grit |            | 40          | 60          | 40          | 60          |  |
|      |            |             |             |             |             |  |

| Р | М | K | N | \$<br>Н |
|---|---|---|---|---------|
| • | • | 0 | 0 |         |

### ITEM: REVEN EVO PLASTIC

Flap grinding discs in nylon strengthed flat pad for diffilcult applications. Bilamellar execution with zirconium cooling admixture. It garantees self lubricated cold machining. The pair of grinding discs are of superior width than normal which offers an increase of the abrasive surface and an increase of the life of the discs. For correct use it is adviced to use suitable power sanders, suited for steel, high alloy steel, stainless steel also cast iron, aluminum and light alloys

|      | Tech. Code | G1224115040 | G1224115060 | G1224125040 | G1224125060 |  |
|------|------------|-------------|-------------|-------------|-------------|--|
|      |            |             |             |             |             |  |
| Ø    | mm         | 115 x       | 22.2        | 125 x 22.2  |             |  |
| Grit | 1          | 40          | 60          | 40          | 60          |  |
|      | *          |             |             |             |             |  |

| Р | М | K | N | s | Н |
|---|---|---|---|---|---|
| • | • | 0 | 0 |   |   |

## FLAP DISCS ALUMINIUM OXIDE

## ITEM: BULLDOG PLASTIC

Flap grinding discs with plastic backing and corundum abrasive cloth.

Mono lamellar feature with flat pad. Cost-effective, high-performance, Ideal on iron, plastic, polish, lacquer as well as on non-ferrous materials.

|      | Tech. Code | G1230115040 | G1230115060 | G1230115080 | G1230125040 | G1230125060 | G1230125080 |
|------|------------|-------------|-------------|-------------|-------------|-------------|-------------|
|      |            |             |             |             |             |             |             |
| Ø    | mm         | 115 x 22.2  |             | 125 x 22,2  |             |             |             |
| Grit | _          | 40          | 60          | 80          | 40          | 60          | 80          |
|      |            |             |             |             |             |             |             |

| Р | М | K | N | 8 | Н |
|---|---|---|---|---|---|
| • | 0 | 0 | • | • |   |