

HAZET HINOX® Stainless Steel Tools

SAFETY – HIGH-QUALITY – ENVIRONMENTAL COMPATIBILITY

- ✓ The static charge (peak load) of the **HINOX** tools is up to 30 % higher in comparison to competitive products
- ✓ The dynamic charge (permanent load) of the **HINOX** tools is up to 3 times higher – longer service life
- ✓ All **HINOX** tools are without surface coating – no allergic reactions due to chemical coatings




Tools made of solid stainless material.

All components, e.g. of the reversible ratchet are made of 100% stainless steel: ratchet housing, ratchet wheel, pawl, cover plates, screws, ball (just the shift lever and the handle are made of plastic).



Stainless steel prevents formation of rust!

That means: Only the continuous application of tool, screw, washer, component and nut made of stainless steel ensures a safe rust-proof connection – avoids additional costs or subsequent damage!



What is rust from external sources and when does it occur?

- Rust from external sources results from use of tools made of standard steel with stainless steel screws or other stainless steel components.
- Frequent application leads to abrasion on steel tools.
- If these standard steel tools are used with stainless steel components, metal wear debris remain on the screwed connection.
- Wear debris and oxygen result in RUST!


PERMANENT LOAD VALUES

HAZET Screwdrivers Socket:



STATIC TORQUE

HAZET Reversible Ratchet:



For high-end application in:

- Industry
- Aircraft sector
- Naval construction / shipyards / nautical sector
- Laboratories
- Automotive sector
- In segments of the food industry and medical engineering

6-Point Socket HINOX®



Safety:

- Up to **20% higher torque values** (static charge) in the range of HINOX-tools
- Having the same hardness, **high-grade stainless steel** provides better mechanical strength properties than the standard material (31 CrV 3)
- Safer application / reduction of the risk of injury

High quality:

- Service life up to three times higher** as measured in a continuous load test

Environmental friendliness:

- Environmentally friendly fabrication** without surface coating
- No allergic reactions due to chemical coatings
- Considerably longer service life than competitive products (solid high-grade stainless steel instead of coating)
- Weathering resistant – for outdoor use

HAZET No.	l mm	d1 mm	d2 mm	t mm	EAN-No. 4000896+
850 X- 4	25	6,8	11	3,7	121380
850 X- 4,5	25	7	11	4,2	121397
850 X- 5	25	8	11	4,1	121403
850 X- 5,5	25	8,5	11	4,6	121410
850 X- 6	25	9	11	5,1	121427
850 X- 7	25	10,5	11,5	5,6	121533
850 X- 8	25	11,5	12,5	6,3	121540
850 X- 9	25	13	11,5	7,3	121557
850 X-10	25	14	12,5	7,3	121564
850 X-11	25	15,5	14	8,3	121571
850 X-12	25	17	15	9,3	121588
850 X-13	25	18	15	9,3	121595
850 X-14	25	19,5	16	10,8	121601

Screwdriver Socket HINOX®



- drive 6.3 = 1/4"
- For inside hexagon screws
- With knurling
- For manual operation
- High-grade stainless steel**
- Considerably longer service life than competitive products (solid high-grade stainless steel instead of coating)
- Weathering resistant – for outdoor use

HAZET No.	d mm	l1 mm	l2 mm	EAN-No. 4000896+
8501 X-3	12	6,5	28	121618
8501 X-4	12	6,5	28	121625
8501 X-5	12	6,5	28	121632
8501 X-6	12	6,5	28	121649
8501 X-8	12	6,5	28	121656



Reversible Ratchet HINOX®



- □ drive 6.3 = 1/4"
- Ratchet wheel 20 teeth
- High-grade stainless steel**
- Considerably longer service life than competitive products (solid high-grade stainless steel instead of coating)
- Weathering resistant – for outdoor use
- 2-component handle for more security

HAZET No.	l mm	EAN-No. 4000896+
863 X	115	121335

Repair Set Ratchet Wheel HINOX® 6.3 = 1/4" ■
consisting of: ratchet wheel, pawl, shift lever, screws, ball, compression spring for 863 X

863 X/7	132997
---------	--------

Sliding T-Handle HINOX®



- □ drive 6.3 = 1/4"
- High-grade stainless steel**
- Considerably longer service life than competitive products (solid high-grade stainless steel instead of coating)
- Weathering resistant – for outdoor use

HAZET No.	l mm	EAN-No. 4000896+
865 X	115	121342

Spin Type Speeder HINOX®



- □ drive 6.3 = 1/4"
- TRInamicULTRA handle
- Haptic elements provide a better grip
- Anti-slipping even with oily hands
- High-grade stainless steel**
- Considerably longer service life than competitive products (solid high-grade stainless steel instead of coating)
- Weathering resistant – for outdoor use

HAZET No.	l mm	EAN-No. 4000896+
866 X	134	121663

Extension HINOX®



- □ drive 6.3 = 1/4"
- High-grade stainless steel**
- Considerably longer service life than competitive products (solid high-grade stainless steel instead of coating)
- Weathering resistant – for outdoor use

HAZET No.	l mm	EAN-No. 4000896+
867 X-2	55	121366

Extension HINOX®



- □ drive 6.3 = 1/4"
- High-grade stainless steel**
- Considerably longer service life than competitive products (solid high-grade stainless steel instead of coating)
- Weathering resistant – for outdoor use

HAZET No.	l mm	EAN-No. 4000896+
868 X	147	121359

Universal Joint HINOX®



- □ drive 6.3 = 1/4"
- Enables getting over obstacles and troublesome borders
- High-grade stainless steel**
- Considerably longer service life than competitive products (solid high-grade stainless steel instead of coating)
- Weathering resistant – for outdoor use

HAZET No.	l mm	EAN-No. 4000896+
869 X	36,5	121373

Socket Set (6-Point) HINOX®



- □ drive 6.3 = 1/4"
- Safety:**
- Up to **20% higher torque values** (static charge) in the range of HINOX®-tools
- Having the same hardness, **high-grade stainless steel** provides better mechanical strength properties than the standard material (31 CrV 3)
- Safer application / reduction of the risk of injury

High quality:

- Service life up to three times higher** as measured in a continuous load test

Environmental friendliness:

- Environmentally friendly fabrication** without surface coating
- No allergic reactions due to chemical coatings
- Considerably longer service life than competitive products (solid high-grade stainless steel instead of coating)
- Weathering resistant – for outdoor use
- In plastic case
- PUR foam inserts – all tools are snugly embedded
- 24 pieces

Contents:


850 X-4 4,5 5 5,5 6 7 8 9 10 11 12 13 14
8501 X-3 4 5 6 8
863 X 865 X 866 X 867 X-2 868 X 869 X

HAZET No.	EAN-No. 4000896+
854 X	121120


HAZET – Range of 6.3 1/4" Sockets

- ✓ Fine Tooth Reversible Ratchets
- ✓ Reversible Ratchets with T-Handle
- ✓ Reversible Ratchets with Hinge Joint
- ✓ »Komposit« Reversible Ratchets
- ✓ Sockets
- ✓ Screwdriver Sockets
- ✓ Extensions and many more....

Fine Tooth Reversible Ratchet



The "Classic" Reversible Ratchet



Reversible Ratchet with T-Handle



- ✓ The advantages of a T-handle and a reversible ratchet combined in one tool

HINOX – Tools made of high-grade stainless steel



Sockets 6.3 1/4"



HINOX:

Tools made of solid stainless material. All components, e.g. of the reversible ratchet are made of 100% stainless steel: ratchet housing, ratchet wheel, pawl, cover plates, screws, ball (just the shift lever and the handle are made of plastic).

6-Point Socket



- drive 6.3 = 1/4"
- With Traction Profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
850- 3	25	6,2	11,0	3,2	057221
850- 4	25	6,8	11,0	3,7	036370
850- 4,5	25	7,4	11,0	4,2	036387
850- 5	25	8,1	11,0	4,1	036400
850- 5,5	25	8,7	11,0	4,6	036417
850- 6	25	9,3	11,0	5,1	036479
850- 7	25	10,9	11,5	5,5	036516
850- 8	25	12,1	12,5	6,5	036547
850- 9	25	13,4	12,5	7,5	036585
850-10	25	14,6	12,5	7,3	036202
850-11	25	15,5	14,0	8,3	036240
850-12	25	17,0	15,0	9,3	036271
850-13	25	18,0	15,0	9,3	036301
850-14	25	19,5	16,0	10,8	036349



- American sizes
- drive 6.3 = 1/4"
- With Traction profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
850 A-3/16	25	8,0	11,0	4,2	037490
850 A-7/32	25	8,5	11,0	4,6	037537
850 A-1/4	25	9,5	11,0	5,1	037476
850 A-9/32	25	10,5	11,5	5,6	037551
850 A-5/16	25	11,5	12,5	6,3	037513
850 A-11/32	25	13,0	11,5	7,3	037483
850 A-3/8	25	14,0	12,5	7,3	037506
850 A-7/16	25	15,5	14,0	8,3	037520
850 A-1/2	25	18,0	15,0	9,3	037469
850 A-9/16	25	19,5	16,0	10,8	037544



- Long style
- drive 6.3 = 1/4"
- With Traction profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

6-Point Socket

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
850 Lg- 4	50	6,7	11,0	4,0	037643
850 Lg- 5	50	7,9	11,0	4,2	037650
850 Lg- 5,5	50	8,5	11,0	5	037667
850 Lg- 6	50	9,2	11,0	5,5	037674
850 Lg- 7	50	11,0	11,0	6	037681
850 Lg- 8	50	12,0	12,0	8	037698
850 Lg- 9	50	13,0	13,0	8	037704
850 Lg-10	50	14,5	14,5	9,2	037599
850 Lg-11	50	15,5	15,5	10,7	037605
850 Lg-12	50	17,0	17,0	12,2	037612
850 Lg-13	50	18,0	18,0	12,2	037629

12-Point Socket



- American sizes
- drive 6.3 = 1/4"
- With Traction profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
850 AZ-3/16	25	7,4	11	4,2	078462
850 AZ-7/32	25	8,7	11	4,7	078479
850 AZ-1/4	25	9,3	11	5,1	078486
850 AZ-9/32	25	10,9	11,5	5,5	092833
850 AZ-5/16	25	12,0	12,5	6,5	078516
850 AZ-11/32	25	13,4	11,5	7,5	078523
850 AZ-3/8	25	14,5	12,5	7,4	078530
850 AZ-7/16	25	15,5	14	8,3	078547
850 AZ-1/2	25	17,6	15	9,3	078554
850 AZ-9/16	25	19,5	16	10,7	078561



- Long style
- American sizes
- drive 6.3 = 1/4"
- With Traction profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
850 TAZ-3/16	50	7,4	11	4,7	078578
850 TAZ-7/32	50	8,7	11	5,2	078585
850 TAZ-1/4	50	9,3	11	5,6	078592
850 TAZ-9/32	50	10,8	11	6,1	078608
850 TAZ-5/16	50	11,4	11,6	8	078615
850 TAZ-11/32	50	13	13	8	078622
850 TAZ-3/8	50	14,2	14,2	9,46	078639
850 TAZ-7/16	50	15,5	15,5	10,9	078646
850 TAZ-1/2	50	17,5	17,5	12,4	078653
850 TAZ-9/16	50	19,3	19,3	15,2	078660

Universal Joint Socket (12-Point)



- With universal joint
- For areas with restricted access
- drive 6.3 = 1/4"
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
850 GZ- 6	35	10	13	5,5	121106
850 GZ- 7	35	11	13	6,1	121144
850 GZ- 8	35	12	13	6,5	121151
850 GZ- 9	36	13,5	13	7,5	121168
850 GZ-10	36	13,8	13	7	121281
850 GZ-11	38	15	13	7	121274
850 GZ-12	38	16,6	13	7,3	121267
850 GZ-13	40	18,9	13	7,2	121250
850 GZ-14	42	18,9	13	9,2	121243

Universal Joint Socket Set (12-Point)



- 9 pieces
- In plastic drawer insert

(2/12)

Contents:

850 GZ-6 7 8 9 10 11 12 13 14

HAZET No.	EAN-No. 4000896+
850 GZ/9	125265

TORX® Socket



- drive 6.3 = 1/4"
- For outside TORX® screws
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	 mm	l mm	d ₁ mm	d ₂ mm	EAN-No. 4000896+
850-E 4	3,86	25	5,6	11,0	036653
850-E 5	4,75	25	6,7	11,0	036684
850-E 6	5,74	25	8,0	11,0	036714
850-E 7	6,22	25	9,6	11,0	036745
850-E 8	7,52	25	10,5	11,5	036776
850-E 10	9,42	25	13,0	12,0	036615
850-E 11	10,08	25	14,0	12,5	036646

TORX® Universal Joint Socket


- With universal joint
- For areas with restricted access
- □ drive 6.3 = 1/4"
- For outside TORX® screws
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome plated, polished

HAZET No.	mm	l ₁ mm	d ₁ mm	d ₂ mm	EAN-No. 4000896+
850 G-E 6	5,74	33	8	13	120574
850 G-E 7	6,22	34	9	13	120857
850 G-E 8	7,52	34	10,5	13	120864
850 G-E 10	9,42	35	13	13	120871

TORX® Universal Joint Socket Set


- 4 pieces, cardboard packed
- Suitable for empty compartment of tool set 850 GZ/9

Contents:

850 G-E 6 E 7 E 8 E 10

HAZET No.	EAN-No. 4000896+
850 G-E/4	125166

Screwdriver Socket


- □ drive 6.3 = 1/4"
- For inside hexagon screws
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface CVD Titanium Nitride (TIN) coated for
 - Improved endurance
 - Higher torque values
 - Corrosion-resistant
 - Minimization of cam-out effect (better screw grip)
- DIN 7422

8501-2,5
esp. for screwing the headliner and cape hood
bracing wires, microswitches, soft top frames
BMW E 38 Convertible, 3-series Convertible

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8501-2,5	6,5	28	12	036837
8501-3	6,5	28	12	036851
8501-4	6,5	28	12	036875
8501-5	6,5	28	12	036899
8501-6	6,5	28	12	036912
8501-8	6,5	28	12	036936

TORX® Screwdriver Socket


- □ drive 6.3 = 1/4"
- For inside TORX® screws
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface CVD Titanium Nitride (TIN) coated

HAZET No.	mm	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8502-T 8	2,31	3,5	28	12	037124
8502-T 9	2,50	3,5	28	12	037148
8502-T 10	2,74	3,8	28	12	036967
8502-T 15	3,27	4,0	28	12	036981
8502-T 20	3,86	4,0	28	12	037001
8502-T 25	4,43	4,5	28	12	037025
8502-T 27	4,99	4,5	28	12	037049
8502-T 30	5,52	5,0	28	12	037063
8502-T 40	6,65	2,0	28	12	037100

Screwdriver Socket


- □ drive 6.3 = 1/4"
- For slotted screws
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface CVD Titanium Nitride (TIN) coated

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8503-0,6 x 3,5	16	28	12	037162
8503-0,8 x 4	16	28	12	037186
8503-1 x 5,5	16	28	12	037247
8503-1,2 x 8	16	28	12	037209
8503-1,6 x 10	16	28	12	037223



- □ drive 6.3 = 1/4"
- For Phillips-Recess screws PH
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface CVD Titanium Nitride (TIN) coated

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8506-PH 1	16	28	12	037285
8506-PH 2	16	28	12	037308
8506-PH 3	16	28	12	037322
8506-PH 4	16	28	12	037346



- □ drive 6.3 = 1/4"
- For Pozidriv® screws PZ
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface CVD Titanium Nitride (TIN) coated

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8507-PZ 1	16	28	12	037360
8507-PZ 2	16	28	12	037377
8507-PZ 3	16	28	12	037384

Adapter


- □ drive 6.3 = 1/4"
- ■ drive 10 = 3/8"
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
858-1	26,5	038480

Impact Adapter


- ■ drive 6.3 = 1/4" (DIN 3121)
- ● A 5.5 DIN 3126, form A
- For impact sockets with □ drive 6.3 = 1/4"
- For power screwdrivers e.g. AEG, Bosch, Holz-Her, Metabo

HAZET No.	l mm	EAN-No. 4000896+
8508 S-1	50	037391



- ■ drive 6.3 = 1/4" (DIN 3121)
- ● E 6.3 DIN 3126, form E (1/4")
- For power screwdrivers, e.g. AEG, Atlas-Copco, Black & Decker, Bosch

HAZET No.	l mm	EAN-No. 4000896+
8508 S-3	50	037414
8508 S-4	100	037421

Fine-Tooth Reversible Ratchet


- ■ drive 6.3 = 1/4"
- 72 teeth, **actuation angle 5°**, enable working in areas with restricted access
- One-hand operation
- 2-component handle for more security
- Chrome-Vanadium
- Surface chrome-plated

HAZET No.	l mm	EAN-No. 4000896+
863 F	115	061471

Reversible Ratchet



6.3 1/4"

- drive 6.3 = 1/4"
- Ratchet wheel 20 teeth
- 2-component handle for more security
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
863 P	115	038558



6.3 1/4"

- drive 6.3 = 1/4"
- With locking device and quick-release press-button
- Ratchet wheel 20 teeth
- Safe locking of the sockets
- By pressing the button, attached tools are easily released – with just one hand
- 2-component handle for more security
- Chrome-Vanadium
- Surface chrome-plated, heads polished

HAZET No.	l mm	EAN-No. 4000896+
863 S	115	038626



6.3 1/4"

- drive 6.3 = 1/4"
- Curved design for working in areas with restricted access
- Ratchet wheel 20 teeth
- 2-component handle for more security
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
863 PC	115	038602



6.3 1/4"

- drive 6.3 = 1/4"
- With hinge joint for working in areas with restricted access
- Ratchet wheel 20 teeth
- 2-component handle for more safety
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
863 G	135	038497

»Komposit« Reversible Ratchet



6.3 1/4"

- drive 6.3 = 1/4"
- With locking device and quick-release press-button
- Change-over switch on the handle enables one-hand operation
- Components are easily replaceable due to "Komposit" construction
- Shock resistant plastic body
- Ergonomic design
- Smooth-running ratchet wheel (20 teeth)
- Safe locking of the sockets
- By pressing the button, attached tools are easily released – with just one hand
- Chrome-Vanadium
- Cover plates made of chrome-plated steel
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
863 N	122	038527

Reversible Ratchet with T-Handle




6.3 1/4"

- drive 6.3 = 1/4"
- Tool combines the advantages of a T-handle and a reversible ratchet
- Enables either powerful or sensitive working
- With quick-release press-button
- Optimal working with Extension HAZET 868**
- DIN 3122, ISO 3315

HAZET No.	EAN-No. 4000896+
863 Q	063482

Repair Set



HAZET No.	EAN-No. 4000896+
-----------	------------------

Repair Set for shift lever

consisting of:
shift lever, pawl, screws, ball, compression spring
for 863, 863 G, 863 P, 863 PC, 863 Q, 863 S, 863 ST, 2264

863 P/6	144600
---------	--------

Repair Set for ratchet wheel 6.3 = 1/4"

consisting of:
ratchet wheel, pawl, shift lever, screws, ball, compression spring
for 863 G, 863 P, 863 PC, 863 ST

863 P/7 N	038596
-----------	--------

Repair Set

HAZET No.	EAN-No. 4000896+
-----------	------------------

Repair Set for ratchet wheel 6.3 = 1/4"

consisting of: ratchet wheel with quick-release press-button, pawl, cap screws, 1 holding down bolt each (small and large),
for 863 N

863 N/6	038541
---------	--------

Repair Set for ratchet wheel 6.3 = 1/4"

consisting of: ratchet wheel, pawl, shift lever, screws, ball, compression spring
for 863 Q, 863 S

863 S/7	048472
---------	--------

Flexible Handle



6.3 1/4"

- drive 6.3 = 1/4"
- Chrome-Vanadium
- Surface mat chrome-plated
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
864	143	038688

Sliding T-Handle



6.3 1/4"

- drive 6.3 = 1/4"
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
865	115	038718

Spin Type Speeder



6.3 1/4"

- drive 6.3 = 1/4"
- TRInamicULTRA handle
- Better application of force due to "haptic" elements of the handle
- Non-slipping even with greasy hands
- Chrome-Vanadium
- Surface mat chrome-plated
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
866 U	134	056453

Extension



- □ drive 6.3 = 1/4"
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
867-1	25	038732
867-2	55	038749
867-4	101,5	038770

Extension



6.3 1/4"

6.3 1/4"

- ■ □ drive 6.3 = 1/4"
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
868	147	038794
868-16	402	076727

Universal Joint



6.3 1/4"

6.3 1/4"

- ■ □ drive 6.3 = 1/4"
- Enables getting over obstacles and troublesome borders
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
869	36,5	038824

Flexible Extension



6.3 1/4"

6.3 1/4"

- ■ drive 6.3 = 1/4"
- Flexible shaft enables getting over obstacles and troublesome borders and fast working even in areas with restricted access
- Chrome-Vanadium


HAZET No.	l mm	EAN-No. 4000896+
870	150	038848

With handle

esp. for worm drive hose clips in fuel lines and coolant hoses, etc.

HAZET No.	l mm	EAN-No. 4000896+
870-2	130	050536

Wobble Extension



6.3 1/4"

6.3 1/4"

- ■ □ drive 6.3 = 1/4"
- With ball shaped, conical outside square, allows 8° angular movement to every side
- By attaching a socket until its limit stop is reached, the wobble extension may also be used as rigid extension
- Flexible shaft enables getting over obstacles and troublesome borders in areas with restricted access
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	EAN-No. 4000896+
871-1	25	038855
871-4	101,5	038879

Socket Rail



- ■ drive 6.3 = 1/4"
- Easy installation: 2 bore holes, e.g. for wall fixation
- Holding clamps adapted to the drive size
- Clear arrangement on rail keeps sockets always ready to hand
- Made of metal

HAZET No.	l mm	EAN-No. 4000896+
-----------	------	------------------

10 pcs. 6-point sockets

Contents:

850-4	5	6	7	8	9	10	11	12	13
850/10 H	430								051748

10 pcs. 6-point sockets, long style

Contents:

850 Lg-4	5	6	7	8	9	10	11	12	13
850 Lg/10 H	430								051786

Empty, with 16 clips suitable for Sockets 850

HAZET No.	l mm	EAN-No. 4000896+
850 HL	430	037575

Magnetic Socket Rail, empty



- 13 exchangeable holding squares well-suited to the drive size (□ 6.3 = 1/4")
- With magnetic back for fixation on e.g. – tool trolley – or in tool trolley's drawers (exactly fitting into drawers of HAZET tool trolley "Assistant")
- Safe fixation of the sockets due to special locking system (ball clamping) in the holding square. Locking release by turning the socket by 90°.
- Clear arrangement – sockets are always ready to hand
- Rail made of metal, clips made of plastic

HAZET No.	l mm	EAN-No. 4000896+
850 MH L	342	120635

Socket Set (6-Point)



E 6.3 1/4"

- □ drive 6.3 = 1/4"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 14 pieces

Contents:

850-4	4,5	5	5,5	6	7	8	9	10	11
865	866 U	867-2	868						

HAZET No.	EAN-No. 4000896+
850	036189



E 6.3 1/4"

- □ drive 6.3 = 1/4"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 14 pieces

Contents:

850-4	4,5	5	5,5	6	7	8	9	10	11
863 P	867-2	868	869						

HAZET No.	EAN-No. 4000896+
850-1	036196

TORX® Socket Set

E 6.3 1/4" ⬠ ⬠



- □ drive 6.3 = 1/4"
- With Reversible Ratchet with T-Handle
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 20 pieces

Contents:

850-E4	E5	E6	E7	E8	E10	E11
8502-T	8	T9	T10	T15	T20	
	T25	T27	T30	T40		
863 Q	868	871-4	869			

HAZET No.	EAN-No. 4000896+
850 TQ	072033

Socket Set (6-Point)

Ⓔ 6.3 1/4"



167 x 67 x 37 mm

- □ drive 6.3 = 1/4"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 14 pieces

Contents:

850-5 5,5 6 7 8 9 10 11 12 13
863 P 867-2
868 869

HAZET No.	EAN-No. 4000896+
851	038176

Socket Set (6-Point)

Ⓔ 6.3 1/4"



187 x 126 x 39 mm

- □ drive 6.3 = 1/4"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 20 pieces

Contents:

850-4 4,5 5 5,5 6 7 8
9 10 11 12 13 14
863 P 864 865 866 U 867-2 868 869

HAZET No.	EAN-No. 4000896+
852-1	038220

Socket Set (6-Point)

Ⓔ 6.3 1/4"



187 x 126 x 39 mm

- □ drive 6.3 = 1/4"
- Screwdriver sockets CVD-Titanium Nitride (TIN) coated
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 33 pieces

Contents:

850-4 5 6 7 8 9 10 11 12 13 14
8501-3 4 5 6 8
8503-0,6x3,5 0,8x4 1x5,5 1,2x8
8506-PH1 PH2 PH3 PH4
8507-PZ1 PZ2 PZ3
863 P 865 866 U 867-2 868 869

HAZET No.	EAN-No. 4000896+
854-1	038343

Socket Set (6-Point)

Ⓔ 6.3 1/4"



187 x 125 x 39 mm

- □ drive 6.3 = 1/4"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 16 pieces

Contents:

850-4 4,5 5 5,5 6 7 8 9 10 11
863 P 865 866 U
867-2 868 869

HAZET No.	EAN-No. 4000896+
852 N	038299

Socket Set (6-Point)

Ⓔ 6.3 1/4"



187 x 125 x 39 mm

- □ drive 6.3 = 1/4"
- Screwdriver sockets CVD-Titanium Nitride (TIN) coated
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 30 pieces

Contents:

850-4 5 5,5 6 7 8 9 10 11 12 13 14
8501-3 4 5 6 8
8503-0,6x3,5 1x5,5 1,2x8
8506-PH1 PH2
8507-PZ1 PZ2
863 P 865 866 U 867-2 868 869

HAZET No.	EAN-No. 4000896+
854	038336

Socket Set (6-Point)

Ⓔ 6.3 1/4"



187 x 125 x 39 mm

- □ drive 6.3 = 1/4"
- With fine-tooth reversible ratchet, 72 teeth
- Screwdriver sockets CVD-Titanium Nitride (TIN) coated
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 30 pieces

Contents:

850-4 5 5,5 6 7 8 9 10 11 12 13 14
8501-3 4 5 6 8
8503-0,6x3,5 1x5,5 1,2x8
8506-PH1 PH2 8507-PZ1 PZ2
863 F 865 866 U 867-2 868 869

HAZET No.	EAN-No. 4000896+
854 F	061235

Socket Set

(E) 6.3 1/4"



187 x 125 x 39 mm

- □ drive 6.3 = 1/4"
- Screwdriver sockets, CVD-Titanium Nitride (TIN) coated
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 33 pieces

Contents:

 850-5 5,5 6 7 8 9 10 11 12 13 14
 850-E5 E6 E7 E8 E10
 8501-3 4 5 6
 8502-T10 T15 T20 T25 T30
 8503-1x5,5 8506-PH2
 863 P 871-4 866 U
 867-2 868 869
HAZET
No.EAN-No.
4000896+

854 T

109579

Socket Set

(E) 6.3 1/4"



344 x 188 x 56 mm

- □ drive 6.3 = 1/4"
- Long and short style sockets
- In plastic box
- In 2-coloured soft foam insert – all tools are snugly embedded
- **Safety-Insert-System** – a missing tool is noticed immediately
- 40 pieces

Contents:

 850-4 4,5 5 6 7 8 9 10 11 12 13
 850 Lg-5 6 7 8 9 10 11 12 13
 850 E-5 6 7 8 10
 8501-3 4 5
 8502-T10 T15 T20 T25 T30
 8503-1 x5,5 8506-PH2
 863 P 866 U 867-2 4 869
HAZET
No.EAN-No.
4000896+

855-1

115983

Socket Set (6-Point)

(E) 6.3 1/4"



187 x 125 x 39 mm

- □ drive 6.3 = 1/4"
- **American sizes**
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 14 pieces

Contents:

 850 A-3/16 7/32 1/4 9/32 5/16 11/32 3/8 7/16
 863 P 865 866 U 867-2 868 869
HAZET
No.EAN-No.
4000896+

852 A N

038275

Socket Set (6-Point)

(E) 6.3 1/4"



279 x 121 x 47 mm

- □ drive 6.3 = 1/4"
- With long style sockets
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 13 pieces

Contents:

 850 Lg-4 5 5,5 6 7 8 9 10 11 12 13
 863 G 867-4
HAZET
No.EAN-No.
4000896+

855

038442

Socket Set (12-Point)

(E) 6.3 1/4"



167 x 97 x 37 mm

- □ drive 6.3 = 1/4"
- **American sizes**
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 14 pieces

Contents:

 850 AZ-3/16 7/32 1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16
 863 S 867-2 868 869
HAZET
No.EAN-No.
4000896+

851 AZ

084814

Socket Set (6-Point)

(E) 6.3 1/4"



187 x 125 x 39 mm

- □ drive 6.3 = 1/4"
- **American sizes**
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 17 pieces

Contents:

 850 A-3/16 7/32 1/4 9/32 5/16 11/32 3/8 7/16 1/2 9/16
 863 P 864 865 866 U 867-2 868 869
HAZET
No.EAN-No.
4000896+


852 A-1

038251

HAZET – Range of 10 3/8" Sockets

- ✓ Fine-Tooth Reversible Ratchets
- ✓ Reversible Ratchets with Hinge Joint
- ✓ »Komposit« Reversible Ratchets
- ✓ Sockets
- ✓ Screwdriver Sockets
- ✓ Extensions and many more....

Fine-Tooth Reversible Ratchet




»Komposit« Reversible Ratchet

With one-hand change-over switch on the handle



»Komposit«-construction allows easy replacing of components

Reversible Ratchet



Screwdriver Sockets 10 3/8"



Sockets 10 3/8"



6-Point Socket



- drive 10 = 3/8"
- With Traction Profile**
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

* = not according to DIN

HAZET No.	l mm	d1 mm	d2 mm	t mm	EAN-No. 4000896+
880- 6 *	24,0	10,0	17,0	6,2	039104
880- 7	24,0	10,5	17,0	6,2	039111
880- 8	24,0	11,8	17,0	6,2	039128
880- 9	24,0	13,0	17,0	6,2	039135
880-10	25,0	14,4	17,0	7,2	038893
880-11	26,0	15,8	17,5	8,2	038916
880-12	27,0	17,0	18,5	9,2	038923
880-13	27,5	18,4	17,0	9,7	038930
880-14	29,5	19,5	17,5	11,7	038947
880-15	29,5	20,9	18,0	11,7	038954
880-16	29,5	22,1	18,0	11,7	038961
880-17	29,5	23,3	18,5	11,7	038978
880-18	31,5	24,8	19,0	13,5	038992
880-19	31,5	25,8	19,5	13,5	039005
880-20	31,5	26,8	21,0	13,5	039043
880-21	31,5	28,3	22,5	13,0	039050
880-22	34,0	29,6	23,5	16,0	039067

Impact Socket (6-Point)



- Suitable for all types of electric and pneumatic screwdrivers (**rotary and impact wrenches**)
- For excessive use
- drive 10 = 3/8"
- Chrome-Vanadium special steel
- Surface phosphatized
- DIN 3129, ISO 2725-2

HAZET No.	l mm	d1 mm	d2 mm	t min. mm	EAN-No. 4000896+
880 S- 8	28	13,0	19	5,9	041190
880 S-10	28	15,5	19	6,7	040957
880 S-11	28	16,7	19	7,8	040971
880 S-12	28	18,0	19	7,7	040995
880 S-13	32	19,4	22	9,2	041015
880 S-14	32	20,7	22	9,2	041039
880 S-15	32	21,5	22	10,2	041053
880 S-16	32	23,4	22	11,2	041077
880 S-17	32	24,9	22	11,2	041091
880 S-18	32	26,3	22	14,0	041114
880 S-19	32	27,7	22	14,0	041138

6-Point Socket



6-Point Socket

- Long style
- drive 10 = 3/8"
- With Traction Profile**
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

+ = with rubber ply for spark plugs

HAZET No.	l mm	d1 mm	d2 mm	t mm	EAN-No. 4000896+
880 Lg- 7	54	10,9	17,0	7,0	052240
880 Lg- 8	54	12,1	17,0	7,0	052257
880 Lg- 9	54	13,0	17,0	10,0	040858
880 Lg-10	54	14,4	17,0	10,0	040698
880 Lg-11	54	15,8	17,2	11,0	040704
880 Lg-12	54	17,0	18,5	11,0	040711
880 Lg-13	54	18,4	18,5	12,0	040728
880 Lg-14	54	19,5	19,5	15,0	040759
880 Lg-15	60	20,8	19,5	15,0	040766
880 Lg-16	60	21,8	18,5	16,0	040773
880 Lg-17	60	23,0	18,5	16,0	040780
880 Lg-18	66	24,4	20,0	20,0	040797
880 Lg-19	66	25,5	20,0	20,0	040803
880 Lg-20	70	26,6	21,0	22,0	040810
880 Lg-20.8-13/16 +	70	27,4	21,0	16,5	040827
880 Lg-21	70	28,0	22,0	22,0	040834
880 Lg-22	70	29,6	21,0	22,0	040841

- Long style
- American sizes**
- drive 10 = 3/8"
- With Traction Profile**
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

+ = with rubber ply for spark plugs

HAZET No.	l mm	d1 mm	d2 mm	t mm	EAN-No. 4000896+
880 A Lg-3/8	54	13,8	17,0	10,0	040193
880 A Lg-7/16	54	15,8	17,2	11,0	040216
880 A Lg-1/2	54	18,0	18,5	12,0	040148
880 A Lg-9/16	60	19,8	19,5	15,0	040230
880 A Lg-19/32	60	20,8	19,5	15,0	040179
880 A Lg-5/8	60	21,8	18,5	16,0	040209
880 A Lg-11/16	66	23,5	19,0	20,0	040155
880 A Lg-3/4	66	25,5	20,0	20,0	040186
880 A Lg-7/8	70	29,6	21,0	22,0	040223

12-Point Socket



- drive 10 = 3/8"
- With Traction Profile**
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

HAZET No.	l mm	d1 mm	d2 mm	t mm	EAN-No. 4000896+
880 Z- 9	24,0	13,0	17,0	6,2	041985
880 Z-10	25,0	14,4	17,0	7,2	041848
880 Z-11	26,0	15,8	17,5	8,2	041855
880 Z-12	27,0	17,0	18,5	9,2	041862
880 Z-13	27,5	18,4	17,0	9,7	041879
880 Z-14	29,5	19,6	17,5	11,7	041893

12-Point Socket

HAZET No.	l mm	d1 mm	d2 mm	t mm	EAN-No. 4000896+
880 Z-15	29,5	20,9	18,0	11,7	041909
880 Z-16	29,5	22,1	18,0	11,7	041916
880 Z-17	29,5	23,3	18,5	11,7	041923
880 Z-18	31,5	24,6	19,0	13,5	041930
880 Z-19	31,5	25,8	19,5	13,5	041947
880 Z-20	31,5	26,8	20,0	13,5	041954
880 Z-21	31,5	28,3	22,5	13,0	041961
880 Z-22	34,0	29,6	23,5	15,5	041978

- American sizes**
- drive 10 = 3/8"
- With Traction Profile**
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

Sizes 1/4" and 5/16" with hexagon

HAZET No.	l mm	d1 mm	d2 mm	t mm	EAN-No. 4000896+
880 A-1/4	24,0	10,0	17,0	6,2	040056
880 A-5/16	24,0	11,8	17,0	6,2	040094
880 AZ-3/8	25,0	13,8	17,0	7,2	040360
880 AZ-7/16	26,0	15,8	17,5	8,2	040384
880 AZ-1/2	27,5	18,7	17,0	9,7	040292
880 AZ-9/16	29,5	20,1	17,5	11,7	040407
880 AZ-19/32	29,5	21,1	18,0	11,7	040339
880 AZ-5/8	29,5	22,1	18,0	11,7	040377
880 AZ-11/16	29,5	23,8	18,5	11,7	040308
880 AZ-3/4	31,5	25,8	19,5	13,0	040353
880 AZ-25/32	31,5	26,8	21,0	13,5	040346
880 AZ-19/16	32,0	28,3	22,5	13,5	040315
880 AZ-7/8	34,0	30,3	23,5	15,5	040391
880 AZ-15/16	36,5	32,3	23,5	17,5	040322



- Long style
- drive 10 = 3/8"
- With Traction Profile**
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

* = not according to DIN

+ = with rubber ply for spark plugs

HAZET No.	l mm	d1 mm	d2 mm	t mm	EAN-No. 4000896+
880 TZ- 9 *	54	13,0	17,0	10,0	041824
880 TZ-10 *	54	14,4	17,0	10,0	041602
880 TZ-11 *	54	15,8	17,2	11,0	041626
880 TZ-12 *	54	17,0	18,5	11,0	041633
880 TZ-13 *	54	18,4	18,5	12,0	041664
880 TZ-14 *	54	19,5	19,5	15,0	041688
880 TZ-15 *	60	20,8	19,5	15,0	041701
880 TZ-16 *	60	21,8	18,5	16,0	041718
880 TZ-17 *	60	23,0	18,5	16,0	041725
880 TZ-18 *	66	24,4	20,0	20,0	041749
880 TZ-19 *	66	25,5	20,0	20,0	041756
880 TZ-20	70	26,6	21,0	22,0	041763
880 TZ-20.8-13/16 +	70	27,4	21,0	16,5	041770
880 TZ-21	70	28,0	22,0	22,0	041794
880 TZ-22	70	29,6	21,0	22,0	041800

6-Point Socket



- With universal joint
- For working in areas with restricted access
- □ drive 10 = 3/8"
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
880 G-10	43	13,8	19	6,8	040414
880 G-11	43	15,0	19	6,8	040438
880 G-12	44	16,6	19	7,3	040445
880 G-13	44	17,8	19	7,3	040452
880 G-14	45	19,0	19	9,3	040469
880 G-15	45	20,4	19	9,3	040476
880 G-16	46	22,0	19	9,2	040483
880 G-17	46	22,8	19	9,2	040490
880 G-18	47	24,5	19	10,2	040506
880 G-19	48	25,2	19	11,2	040513

Universal Joint Socket Set (6-Point)



- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 8 parts

Contents:

880 G-10 11 12 13 14 15 17 19

HAZET No.	EAN-No. 4000896+
880 G/8	040629



- 10 pieces
- In plastic drawer insert

(3/12)

Contents:

880 G-10 11 12 13 14 15 16 17 18 19

HAZET No.	EAN-No. 4000896+
880 G/10	121090

TORX® Socket



TORX® Socket

- □ drive 10 = 3/8"
- For outside TORX® screws
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	EAN-No. 4000896+
880 Lg-E 8	7,52	65	10,5	053070
880 Lg-E 10	9,42	65	13	053087
880 Lg-E 11	10,08	65	14	053094
880 Lg-E 12	11,17	65	14,9	053100
880 Lg-E 14	12,90	65	16,5	053117



- With universal joint
- For working in areas with restricted access
- □ drive 10 = 3/8"
- For outside TORX® screws
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	EAN-No. 4000896+
880 G-E 8	7,52	43	19	040599
880 G-E 10	9,42	44	19	040537
880 G-E 12	11,17	46	19	040551
880 G-E 14	12,90	48	19	040575

TORX® Universal Joint Socket Set



4 TORX® sockets with universal joint

Contents:
880 G-E8 E10 E12 E14

HAZET No.	EAN-No. 4000896+
880 G-E/4	040520



- □ drive 10 = 3/8"
- For outside TORX® screws
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	EAN-No. 4000896+
880-E 5	4,75	28	7,0	039258
880-E 6	5,74	28	8,0	039272
880-E 7	6,22	28	9,0	039296
880-E 8	7,52	28	10,5	039319
880-E 10	9,42	28	13,0	039159
880-E 11	10,08	28	14,0	039180
880-E 12	11,17	28	14,9	039197
880-E 14	12,90	28	16,5	039227


TORX® Impact Socket



- For outside TORX® screws
- For impact operation
- □ drive 10 = 3/8"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	d ₁ mm	d ₂ mm	EAN-No. 4000896+
880 S-E 6	5,74	28	9,0	041312
880 S-E 7	6,22	28	10,0	041336
880 S-E 8	7,52	28	11,5	041350
880 S-E 10	9,42	28	14,0	041237
880 S-E 12	11,17	28	15,9	041251
880 S-E 14	12,90	28	17,7	041275


Spark Plug Socket



- For spark plug changing
- Long style
- □ drive 10 = 3/8"
- With permanent magnet
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

880 A Mg T e.g. for BMW 12-cyl. engines, M 70, 750i, 850i


HAZET No.	s mm	s" mm	l mm	d ₁ mm	EAN-No. 4000896+
880 Mg T	20,8	13/16	64	27,4	040872
880 A Mg T	16,0	5/8	64	21,7	040247



- For spark plug changing on motorcycles, e.g. HONDA, YAMAHA, SUZUKI, KAWASAKI, etc.
- With permanent magnet
- □ drive 10 = 3/8"
- With outside hexagon 17 mm
- Chrome-Vanadium
- Surface chrome-plated, polished


HAZET No.	s mm	l mm	d ₁ mm	d ₂ mm	EAN-No. 4000896+
880 Mg T-18	18,0	62	23,5	22,8	040889

Spark Plug Socket



- For spark plug changing
- With permanent magnet
- □ drive 10 = 3/8"
- With outside guide collar 23.6 mm for deeply located spark plugs
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	s mm	l mm	d ₁ mm	d ₂ mm	EAN-No. 4000896+
880 A Mg T-1	16,0 / 5/8"	64	21,9	21	040254



- For spark plug changing, e.g. on BMW motorcycles (K-models) and on BMW passenger cars (motorsports M 3, M 5)
- With permanent magnet
- □ drive 10 = 3/8"
- Without outside guide collar
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	s mm	l mm	d ₁ mm	d ₂ mm	EAN-No. 4000896+
880 A Mg T-3	17,5 / 11/16"	64	22,6	21,6	040278

Spark Plug Socket Set

(E) 10 3/8"



167 x 97 x 37 mm

- In plastic box
- With PUR foam insert
- 4 pieces


Contents:

880 KF 880 A KF 880 Mg T-18 880 A Mg T-3

HAZET No.	EAN-No. 4000896+
880 Mg T/4	040902

Spark Plug Socket

(E)



- For spark plug changing
- **With fixing clamp** to hold the spark plug
- The fixing clamp reduces the risk of insulator damage
- □ drive 10 = 3/8"
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	s mm	s"	l mm	d ₁ mm	EAN-No. 4000896+
880 KF	20,8	13/16	64	27,4	040674
880 A KF	16,0	5/8	64	21,6	040131

4766	16	5/8	97	21,4	049295
4766-1	16	5/8	270	21,4	048991
4766-2	14	-	64	18,0	087655



HAZET No.	EAN-No. 4000896+
-----------	------------------

Fixing clamp for 880 KF, 900 KF, 4767 KF


880 KF-01 050123

Fixing clamp for 880 A KF, 900 A KF, 4766, 4766-1, 4767 A KF

880 A KF-01 050130

INFORMATION

Fixing Clamp



- ✓ Stainless and insensitive to heat
- ✓ Largest possible clearance of insulator – minimization of possible breaks
- ✓ 6 spring elements – firm hold of the plugs
- ✓ Damping of transverse motion

Screwdriver Socket



- □ drive 10 = 3/8"
- For inside hexagon screws
- With knurling
- For manual operation
- Blades made of special steel
- DIN 7422

s 3 - 9 - 12: not according to DIN
+ = with offset blade

HAZET No.	l ₁ mm	l ₂ mm	d mm	s mm	EAN-No. 4000896+
8801- 3 +	23,5	50	17,0	3	039364
8801- 4 +	28,5	55	17,0	4	039371
8801- 5 +	33,5	60	17,0	5	039388
8801- 6	38,5	65	17,0	6	039395
8801- 7 +	43,5	70	19,0	7	039401
8801- 8	48,5	75	19,0	8	039425
8801- 9 +	52,5	80	19,0	9	039432
8801-10	57,5	85	19,0	10	039340
8801-12	62,5	90	19,0	12	039357

2747	133,5	160	19,0	5	017461
2748	193,5	220	19,0	6	017478

American sizes

- □ drive 10 = 3/8"
- For inside hexagon screws
- With knurling
- For manual operation
- Blades made of special steel
- + = with offset blade

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8801 A-1/8 +	23,5	50	17,0	039487
8801 A-5/32 +	28,5	55	17,0	039524
8801 A-3/16 +	33,5	60	17,0	039494
8801 A-7/32 +	38,5	65	17,0	039531
8801 A-1/4 +	43,5	70	19,0	039470
8801 A-5/16	48,5	75	19,0	039517
8801 A-3/8 +	52,5	80	19,0	039500




- □ drive 10 = 3/8"
- For inside hexagon screws
- With knurling
- Short style
- For manual operation
- Blades made of special steel

HAZET No.	l ₁ mm	l ₂ mm	d mm	s mm	EAN-No. 4000896+
8801 K- 3	17	43,5	17	3	053582
8801 K- 4	17	43,5	17	4	053599
8801 K- 5	17	43,5	17	5	053605
8801 K- 6	17	43,5	17	6	053612
8801 K- 7	17	43,5	19	7	053629
8801 K- 8	17	43,5	19	8	053636
8801 K- 9	17	43,5	19	9	053643
8801 K-10	17	43,5	19	10	053650

2584-4	11	38,0	17	6	115808
--------	----	------	----	---	--------

3884-1	11	38,0	19	7	115815
--------	----	------	----	---	--------

Screwdriver Socket



- With ball hex
- □ drive 10 = 3/8"
- For inside hexagon screws
- With knurling
- For manual operation
- Blades made of special steel

HAZET No.	l ₁ mm	l ₂ mm	d mm	S mm	EAN-No. 4000896+
8801 KK- 5	89,5	116	17,0	5	039586
8801 KK- 6	89,5	116	17,0	6	039593
8801 KK- 7	89,5	116	19,0	7	039609
8801 KK- 8	89,5	116	19,0	8	039616
8801 KK-10	88,5	116	19,0	10	039579

2527-5	200	227	19,0	5	016303
--------	-----	-----	------	---	--------

TORX® Screwdriver Socket




- □ drive 10 = 3/8"
- For inside TORX® screws
- With knurling
- For manual operation
- Blades made of special steel

HAZET No.		l_1 mm	l_2 mm	d mm	EAN-No. 4000896+	
8802-T 15		3,27	17	43,5	19	039647
8802-T 20		3,86	17	43,5	19	039654
8802-T 25		4,43	17	43,5	19	039661
8802-T 27		4,99	17	43,5	19	039678
8802-T 30		5,52	17	43,5	19	039685
8802-T 40		6,65	17	43,5	19	039708
8802-T 45		7,82	17	43,5	19	039722
8802-T 50		8,83	17	44,5	19	039753

2739 G-T 50	8,83	38	53	16,8	072156
-------------	------	----	----	------	--------

Screwdriver Socket



- □ drive 10 = 3/8"
- For slotted screws
- With knurling
- For manual operation
- Blades made of special steel

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8803-1 x 5,5	48,5	75	17,0	039814
8803-1,2 x 8	53,5	80	19,0	039791
8803-1,6 x 10	62,5	90	19,0	039807



- □ drive 10 = 3/8"
- For Phillips-Recess screws PH
- With knurling
- For manual operation
- Blades made of special steel
- Tips DIN ISO 8764-1


Screwdriver Socket

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8806-PH 1	23,5	50	17,0	039845
8806-PH 2	23,5	50	17,0	039852
8806-PH 3	28,5	55	19,0	039869
8806-PH 4	32,5	60	19,0	039876



- □ drive 10 = 3/8"
- For inside screws with internal serration XZN
- With knurling
- For manual operation
- Blades made of special steel
- DIN 3124

HAZET No.	M	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8808- 5	5	13,5	40	19	039982
8808- 6	6	13,5	40	19	039999
8808- 8	8	14,5	41	19	040001
8808-10	10	14,5	42	19	039975



- □ drive 10 = 3/8"
- For inside screws with internal serration XZN
- With knurling
- For manual operation
- Blades made of special steel
- DIN 3124

HAZET No.	M	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
8808 Lg-8	8	61,5	88	19	040025
8808 Lg-10	10	61,5	89	19	040018

Speeder



- ■ drive 10 = 3/8"
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
8811	420	042005

Spin Type Speeder



- ■ drive 10 = 3/8"
- TRInamicULTRA handle
- Better application of force due to "haptic" elements of the handle
- Non-slipping even with greasy hands
- Chrome-Vanadium
- Surface mat chrome-plated

HAZET No.	l mm	EAN-No. 4000896+
8812 U	137	067688

Flexible Handle



- ■ drive 10 = 3/8"
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
8814	250	042036

Sliding T-Handle



- ■ drive 10 = 3/8"
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
8815	198	042067

Fine-Tooth Reversible Ratchet



- ■ drive 10 = 3/8"
- 72 teeth, actuation angle 5°, allow operation of screws in areas with restricted access
- 2-component handle for more safety
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
8816 F	199	042074

Reversible Ratchet



- ■ drive 10 = 3/8"
- Ratchet wheel 30 teeth
- 2-component handle for more safety
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
8816 P	199	042203



- ■ drive 10 = 3/8"
- With locking device and quick-release press-button
- Ratchet wheel 30 teeth
- Safe locking of the sockets

Reversible Ratchet

- By pressing the button, attached tools are easily released – with just one hand
- With 2-component handle for more safety
- Chrome-Vanadium
- Surface chrome-plated, heads polished

HAZET No.	l mm	EAN-No. 4000896+
8816 S	199	042241



- Long style
- With hinge joint** for working in areas with restricted access
- 2-component handle for more safety
- □ drive 10 = 3/8"
- Ratchet wheel 30 teeth
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	EAN-No. 4000896+
8816 G	276	042104



- Short style
- With hinge joint**
- □ drive 10 = 3/8"
- Ratchet wheel 30 teeth
- 2-component handle for more safety
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	EAN-No. 4000896+
8816 GK	218	042142


»Komposit« Reversible Ratchet



- □ drive 10 = 3/8"
- With locking device and quick-release press-button
- Change-over switch on the handle enables one-hand operation
- Components are easily replaceable due to "Komposit" construction
- Shock resistant plastic body
- Ergonomic design
- Smooth-running ratchet wheel (30 teeth)
- Safe locking of the sockets
- By pressing the button, attached tools are easily released – with just one hand
- Chrome-Vanadium
- Cover plates made of chrome-plated steel
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
8816 N	200	042173

Repair Set



Please observe the following characteristics:

- Shift lever burnished (black)
- Replaceable head
- since 1985 with ergonomic plastic handle

HAZET No.	EAN-No. 4000896+
-----------	------------------

Repair Set for shift lever

consisting of:

shift lever, screws, ball, compression spring for 8816 G, 8816 GK, 8816 P, 8816 S, 8816 ST, 2264-1, 6110 CT, 6110-1 CT, 6111-1 CT, 6114-1 CT, 6115-1 CT, 6402-1, 6402-1 S, 6408-1

8816 P/6	144617
----------	--------

Repair Set for ratchet wheel 10 = 3/8" ■

consisting of:

ratchet wheel, pawl, shift lever, screws, ball, compression spring for 8816 G, 8816 GK, 8816 P, 8816 ST, 6110 CT, 6110-1 CT, 6111-1 CT, 6114-1 CT, 6115-1 CT, 6402-1

8816 P/7 N	042234
------------	--------

Repair Set for ratchet wheel 10 = 3/8" ■

consisting of:

ratchet wheel with quick-release press-button, pawl, cap screws, 1 holding down bolt each (small and large), for 8816 N

8816 N/6	042197
----------	--------

Repair Set for ratchet wheel 10 = 3/8" ■

consisting of:

ratchet wheel, pawl, shift lever, screws, ball, compression spring for 8816 S, 6402-1 S

8816 S/7	048465
----------	--------

Universal Joint



- □ drive 10 = 3/8"
- Chrome-Vanadium
- Surface chrome-plated, heads polished
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
8820	46,5	042296

Impact Ball Joint



- For impact operation
- □ drive 10 = 3/8"
- Chrome-Vanadium special steel
- Surface burnished

HAZET No.	l mm	EAN-No. 4000896+
8806 S	51,5	039883

Extension



- □ drive 10 = 3/8"
- Chrome-Vanadium
- Surface chrome-plated, heads polished
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
8821- 1	36	042302
8821- 3	74	042357
8821- 5	126	042364
8821- 6	150	042371
8821- 8	202	042388
8821-10	254	042319
8821-12	304	042326
8821-20	508	042333
8821-28	711	042340

Wobble Extension



- □ drive 10 = 3/8"
- With ball shaped, conical outside square, allows 8° angular movement to every side
- By attaching a socket until its limit stop is reached, the wobble extension may also be used as rigid extension
- Flexible shaft enables getting over obstacles and borders in areas with restricted access
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	EAN-No. 4000896+
8822- 1	36	042418
8822- 3	74	042432
8822-10	254	042425

Impact Extension



- For impact operation
- □ drive 10 = 3/8"
- Chrome-Vanadium Special Steel
- Surface burnished

HAZET No.	l mm	EAN-No. 4000896+
8805 S-3	78	039821
8805 S-6	152	039838

Flexible Extension



- □ drive 10 = 3/8"
- Flexible shaft enables getting over obstacles and borders and allows fast working even in areas with restricted access
- Chrome-Vanadium

HAZET No.	l mm	EAN-No. 4000896+
8830	210	042487

Adapter



- drive 10 = 3/8"
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
■ drive 12.5 = 1/2"		
8858-1	36	042562
■ drive 6.3 = 1/4"		
8858-2	26	042579

Impact Adapter



- For impact operation
- drive 10 = 3/8"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	□	EAN-No. 4000896+
8807 S	28,0	10 = 3/8"	039937
■ drive 12.5 = 1/2"			
8807 S-1	35,5	10 = 3/8"	039951

Impact Adapter



- drive 10 = 3/8" (DIN 3121)
- 8 = 5/16"
- For impact sockets with □ drive 10 = 3/8"

HAZET No.	l mm	□	EAN-No. 4000896+
8808 S-1	75	10 = 3/8"	040032

O-Ring and Connecting Pin



HAZET No.	mm	EAN-No. 4000896+
For Sockets □ drive 10 = 3/8"		
6-12 mm, E 5-E 14		
880 S-G 612	Ø 13 x 3,5	041381
For Sockets □ drive 10 = 3/8"		
13-19 mm, extensions, universal joints, adapters		
880 S-G 1317	Ø 16 x 3,5	041374

O-Ring and Connecting Pin

HAZET No.	mm	EAN-No. 4000896+
For Sockets □ drive 10 = 3/8"		
6-12 mm, E 5-E 14		
880 S-H 612	Ø 2,5 x 14	041404
For Sockets □ drive 10 = 3/8"		
13-19 mm, extensions, universal joints, adapters		
880 S-H 1317	Ø 2,5 x 16	041398

Safety Spring



For impact sockets according to DIN 3129

HAZET No.	mm	EAN-No. 4000896+
For Sockets □ drive 10 = 3/8"		
6-12 mm, E 5-E 14		
880 S-HF 612	Ø 16,6	041428
For Sockets □ drive 10 = 3/8"		
13-19 mm extensions, universal joints, adapters		
880 S-HF 1319	Ø 18,0	041411

Socket Rail




- drive 10 = 3/8"
- Easy installation: 2 bore holes, e.g. for wall fixation
- Holding clamps adapted to the drive size
- Clear arrangement on rail keeps sockets always ready to hand
- Made of metal

Socket Rail

HAZET No.	l mm	EAN-No. 4000896+
10 pcs. 6-Point Sockets		
Contents:		
880-10 11 12 13 14 15 16 17 18 19		
880/10 H	240	051441
10 pcs. 6-Point Sockets, long style		
Contents:		
880 Lg-10 11 12 13 14 15 16 17 18 19		
880 Lg/10 H	240	040865
10 pcs. 12-Point Sockets		
Contents:		
880 TZ-10 11 12 13 14 15 16 17 18 19		
880 TZ/10 H	240	041831
10 pcs. 6-Point Sockets with universal joint		
Contents:		
880 G-10 11 12 13 14 15 16 17 18 19		
880 G/10 H	240	040612
8 Screwdriver Sockets for inside hexagon screws		
Contents:		
8801-3 4 5 6 7 8 9 10		
8801/8 H	240	039463
8 Screwdriver Sockets for inside TORX® screws		
Contents:		
8802-T 15 T 20 T 25 T 27 T 30 T 40 T 45 T 50		
8802 T/8 H	240	039784
Empty, with 16 clips, suitable for sockets of 880 series		
880 HL	430	040650

Magnetic Socket Rail, empty

10 3/8



- 10 exchangeable holding squares well-suited to the drive size (□ 10 = 3/8")
- With **magnetic back** for fixation on, e.g. – tool trolleys – or in tool trolley's drawers (exactly fitting into the drawers of HAZET tool trolleys "Assistent")
- Safe fixation of the sockets due to special locking system (ball clamping) in the holding square. Locking release by turning the socket by 90°.
- Clear arrangement – sockets are always ready to hand
- Rail made of metal, clips made of plastic

HAZET No.	l mm	EAN-No. 4000896+
880 MH L	342	120642

Socket Set (6-Point)

(E) 10 3/8"



279 x 121 x 47 mm

- □ drive 10 = 3/8"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 16 pieces

 Contents:
 880-8 10 11 12 13 14
 15 17 19 21 22
 8815 8816 P 8820
 8821-5 10
HAZET
No.EAN-No.
4000896+

880 N-1

040926

Socket Set (6-Point)

(E) 6.3 1/4" 10 3/8"



344 x 188 x 56 mm

- Especially for motorcycles, motorboats, etc.
- □ drive 6.3 = 1/4"
- □ drive 10 = 3/8"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 46 pieces

 Contents:
 850-4 4,5 5 5,5 6 7 8 9 10 11 12 13
 863 P 866 U 867-4 869
 880-10 11 12 13 14 15
 16 17 18 19 21 22
 8816 P 8820 8821-6
 2204-3 4 5 6 8 2208-4 6 8 9
 2215-PH1 PH2 2216-PZ1 PZ2 2250-1 2
HAZET
No.EAN-No.
4000896+

882

042289

Socket Set (6-Point)

(E) 10 3/8"



279 x 121 x 47 mm

- Additionally with Spark Plug Sockets
- □ drive 10 = 3/8"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 21 pieces

 Contents:
 880-6 7 8 9 10 11 12 13
 14 15 16 17 18 19 21 22
 880 AKF 880 KF
 8816 P 8820 8821-5
HAZET
No.EAN-No.
4000896+

884 N-1

042531

Socket Set (6-Point)

(E) 10 3/8"



344 x 188 x 56 mm

- □ drive 10 = 3/8"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 22 pieces

 Contents:
 880-6 7 8 9 10 11 12 13 14
 15 16 17 18 19 20 21 22
 8815 8816 P
 8820 8821-3 6
HAZET
No.EAN-No.
4000896+

880-2

039036

Socket Set (6-Point)

(E) 6.3 1/4"



344 x 188 x 56 mm

- Especially suitable for maintenance work on modern cars requiring the use of different screw profiles
- □ drive 6.3 = 1/4"
- □ drive 10 = 3/8"
- – 6-Point Sockets
- – TORX® Sockets
- – Screwdriver Sockets for inside hexagon and inside TORX® screws
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 46 pieces

 Contents:
 850-6 7 8 9 10 13
 850-E6 E7 E8 E10
 863 P 866 U 867-4 869
 880-11 12 13 14 15 16 17 18 19 21 22
 880-E11 E12 E14
 8816 P 8820 8821-6
 2204-4 5 6 8
 2223-T10 T15 T20 T25 T27 T30 T40
 2224-T45 T50 2250-1 3
HAZET
No.EAN-No.
4000896+

882-1

100361

Socket Set (6-Point)

(E) 10 3/8"



344 x 188 x 56 mm

- Additionally with Screwdriver Sockets
- □ drive 10 = 3/8"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 32 pieces

 Contents:
 880-6 7 8 9 10 11 12 13
 14 15 16 17 18 19 21 22
 8801-4 5 6 8
 8803-1 x5,5 1,2 x8 1,6 x10
 8806-PH1 PH2 PH3
 8815 8816 P 8820
 8821-3 5 10
HAZET
No.EAN-No.
4000896+

885 N

042593

Socket Set (6-Point)

(E) 10 3/8"



279 x 121 x 47 mm

- American sizes
- Additionally with Spark Plug Sockets
- □ drive 10 = 3/8"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 14 pieces

Contents:

880 A-1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4
880 KF 880 AKF 8816 P 8820 8821-5

HAZET No. EAN-No. 4000896+

884 A N-1 042494

Socket Set (12-Point)

(E) 10 3/8"



279 x 121 x 47 mm

- American sizes
- Additionally with Spark Plug Sockets
- □ drive 10 = 3/8"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 17 pieces

Contents:

880 A-1/4 5/16
880 AZ-3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16
880 KF 880 AKF 8816 P 8820 8821-5

HAZET No. EAN-No. 4000896+

884 AZ N-1 042517

Socket Set (12-Point)

(E) 10 3/8"



578 x 235 x 88 mm

- Additionally with Screwdriver Sockets
- □ drive 10 = 3/8"
- In blue sheet metal box with plastic insert
- 58 pieces

Contents:

880-6 7 8
880 Z-9 10 11 12 13 14 15
16 17 18 19 20 21 22
880 TZ-9 10 11 12 13 14 15
16 17 18 19 20 21 22
8801-3 4 5 6 7 8 9 10 12
8803-1 x 5,5 1,2 x 8 1,6 x 10
8806-PH2 PH3 PH4
8811 8812 8814 8815
8816 P 8820
8821-3 6 8 12 8830 8858-2

HAZET No. EAN-No. 4000896+

888 ZN 042654

Socket Set (12-Point)

(E) 10 3/8"



279 x 121 x 47 mm

- □ drive 10 = 3/8"
- In plastic box
- With PUR foam insert – all tools are snugly embedded
- 16 pieces

Contents:

880 Z-10 11 12 13 14 15 17 19 21 22
880-8 8815 8816 P 8820 8821-5 10

HAZET No. EAN-No. 4000896+

880 Z N-1 041992

Socket Set (6-Point)

(E) 10 3/8"



578 x 235 x 88 mm

- □ drive 10 = 3/8"
- In blue sheet metal box with plastic insert
- 58 pieces

Contents:

880-6 7 8 9 10 11 12 13
14 15 16 17 18 19 20 21 22
880 Lg-9 10 11 12 13 14 15 16
17 18 19 20 21 22
8801-3 4 5 6 7 8 9 10 12
8803-1 x 5,5 1,2 x 8 1,6 x 10
8806-PH2 PH3 PH4
8811 8812 U 8814 8815
8816 P 8820
8821-3 6 8 12
8830 8858-2

HAZET No. EAN-No. 4000896+

888 N 042623

Socket Set (12-Point)

(E) 10 3/8"



578 x 235 x 88 mm

- American sizes
- Additionally with Screwdriver Sockets
- With blank moulds for additional tools
- □ drive 10 = 3/8"
- In blue sheet metal box with plastic insert
- 49 pieces

Contents:

880 A-1/4 5/16
880 AZ-3/8 7/16 1/2 9/16 19/32 5/8 11/16
3/4 25/32 13/16 7/8 15/16
880 ALg-3/8 7/16 1/2 9/16 19/32 5/8
11/16 3/4 19/16 7/8
880 Lg-20,8 (13/16)
8801 A-1/8 5/32 3/16 7/32 1/4 5/16 3/8
8803-1 x 5,5 1,2 x 8 1,6 x 10
8806-PH2 PH3 PH4
8811 8812 U 8814 8815 8816 P 8820
8821-3 6 8 12 8830 8858-2


HAZET No. EAN-No. 4000896+

888 A ZN 042616

HAZET – Range of 12⁵/₁₆" Sockets

- ✓ **Fine-Tooth Reversible Ratchets**
- ✓ **Reversible Ratchets with Hinge Joint**
- ✓ **»Komposit« Reversible Ratchets**
- ✓ **Telescopic Reversible Ratchet**
- ✓ **Socket Sets**
- ✓ **Sockets / Screwdriver Sockets**
- ✓ **Extensions and many more....**

Telescopic Reversible Ratchet



Socket Sets




Sockets 12⁵/₁₆"




Long style

Fine-Tooth Reversible Ratchet



Reversible Ratchet



6-Point Socket



- drive 12.5 = 1/2"
- With Traction profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

* = not according to DIN

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900- 8 *	38,0	12,0	22,0	7,8	042968
900- 9 *	38,0	13,5	22,0	8,8	042975
900-10	38,0	14,9	22,0	10,8	042715
900-11	38,0	16,4	22,0	10,8	042722
900-12	38,0	17,5	22,0	11,3	042739
900-13	38,0	18,8	22,0	11,3	042746
900-14	38,0	20,3	22,5	11,8	042753
900-15	38,0	21,5	23,2	11,8	042760
900-16	38,0	22,7	23,6	12,2	042777
900-17	38,0	24,1	22,0	12,7	042784
900-18	38,0	25,4	22,4	14,2	042791
900-19	38,0	26,6	23,0	14,2	042807
900-20	38,0	27,8	24,0	14,2	042821
900-21	38,0	29,0	25,0	14,1	042838
900-22	41,5	30,4	26,0	17,6	042845
900-23	41,5	31,4	26,0	17,6	042869
900-24	44,0	32,6	26,0	18,2	042876
900-25	44,0	33,9	26,0	17,9	042883
900-26	44,0	35,1	24,0	17,8	042890
900-27	46,0	36,2	25,0	19,7	042906
900-28	47,0	37,5	26,0	20,6	042913
900-29 *	50,0	38,7	27,0	23,4	042920
900-30	50,0	40,1	28,0	23,3	042937
900-32	50,0	42,3	28,0	23,0	042944
900-34 *	52,0	46,0	28,0	23,3	042951

Impact Socket (6-Point)



- Suitable for all types of electric and pneumatic screwdrivers (**rotary and impact wrenches**)
- For excessive use
- drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface phosphatized
- DIN 3129, ISO 2725-2

+ = reinforced design, with deep hexagon profile for wheel nuts/bolts

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 S- 8	38	14,3	25	6,0	044511
900 S-10	38	16,8	25	6,9	044085
900 S-11	38	18,1	25	8,5	044108
900 S-12	38	19,5	25	8,5	044122
900 S-13	38	20,8	25	10,0	044146
900 S-14	38	22,1	25	10,0	044177
900 S-15	38	23,5	30	11,0	044191
900 S-16	38	24,8	30	11,0	044214
900 S-17	38	26,2	30	12,0	044238
900 S-17 R +	38	30,0	30	14,0	044252

Impact Socket (6-Point)



- * = not according to DIN
- + = reinforced design, with deep hexagon profile for wheel nuts/bolts

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 S-18	38	27,5	30	12,0	044283
900 S-19	40	28,8	30	15,0	044306
900 S-19 R +	42	32,8	30	18,0	044313
900 S-20 *	40	29,5	30	15,0	044344
900 S-21	40	31,3	30	15,0	044368
900 S-22	40	32,5	30	15,0	044382
900 S-23 *	40	33,8	30	15,0	044405
900 S-24	44	35,0	30	17,5	044429
900 S-24 R +	45	38,8	30	16,5	044436
900 S-25 *	44	36,3	30	18,5	044450
900 S-26 *	44	37,6	30	18,5	044474
900 S-27	45	38,8	30	19,5	044498
900 S-30	50	42	30	23,3	073207
900 S-32 *	50	44	30	23,0	073184

6-Point Socket



- American sizes
- drive 12.5 = 1/2"
- With Traction Profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 A-3/8	38,0	14,5	22,0	10,5	043354
900 A-7/16	38,0	16,4	22,0	10,5	043378
900 A-1/2	38,0	18,3	22,0	11,0	043309
900 A-9/16	38,0	20,5	22,5	11,5	043392
900 A-5/8	38,0	22,7	23,6	12,5	043361
900 A-11/16	38,0	24,6	22,0	12,0	043316
900 A-3/4	38,0	26,8	23,0	14,0	043347
900 A-13/16	38,0	28,6	25,0	14,0	043323
900 A-7/8	41,5	30,4	26,0	17,5	043385
900 A-15/16	44,0	32,6	26,0	20,0	043330
900 A-1	44,0	34,6	24,5	20,0	043255
900 A-1 1/16	45,0	36,3	25,0	21,0	043262
900 A-1 1/8	47,0	38,2	26,5	22,0	043286
900 A-1 3/8	50,0	40,0	28,0	25,0	043293
900 A-1 1/2	50,0	42,3	28,0	24,0	043279



- Long style
- drive 12.5 = 1/2"
- With Traction Profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

6-Point Socket



- * = not according to DIN
- + = with rubber ply for spark plugs

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 Lg-10 *	85	14,9	22	10	053438
900 Lg-11 *	85	16,4	22	11,5	053421
900 Lg-12 *	85	17,5	22,0	12,3	043873
900 Lg-13	85	18,8	22,0	13,3	043880
900 Lg-14	85	19,9	22,5	14,2	043897
900 Lg-15	85	21,5	23,2	15,2	043903
900 Lg-16	85	22,7	23,6	16,0	043910
900 Lg-17	85	24,1	23,6	19,0	043927
900 Lg-18	85	24,6	23,6	19	043934
900 Lg-19	85	28,5	26,0	19	043941
900 Lg-20.8-13/16 +	85	28,5	24,5	18	043958
900 Lg-21	85	28,6	24,5	19	043965
900 Lg-22	85	30,4	25,0	22	043972
900 Lg-24	85	32,6	27,5	25	043989
900 Lg-26	85	35,1	29,5	28	043996
900 Lg-27	85	36,3	30,0	28	044009
900 Lg-30	85	40,1	33,0	31	044016
900 Lg-32	85	42,5	35	34,2	049660

Impact Socket (6-Point)



- Long style
- For impact operation
- drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface phosphatized

+ = reinforced style with deep hexagon for wheel nuts/screws


HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 S Lg-13	85	20,8	25	13,0	044764
900 S Lg-15	85	23,5	30	18,0	104277
900 S Lg-16	85	24,8	30	16,0	044788
900 S Lg-17	85	26,2	30	16,0	044801
900 S Lg-18	85	27,5	30	19,0	044825
900 S Lg-19	85	28,8	30	19,0	044849
900 S Lg-21 +	85	31,3	30	17,5	044863
900 S Lg-22	85	32,5	30	17,5	044887
900 S Lg-24	85	35,0	30	17,5	044917
900 S Lg-27	85	38,8	30	19,5	044931



- Especially for mounting and dismounting wheels
- Long and extra-slim style
- For impact operation
- drive 12.5 = 1/2"

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
901 S Lg-15	85	23,5	30	16	118298
901 S Lg-17	85	25,7	30	18	045723
901 S Lg-19	85	28,2	30	19	045747
901 S Lg-21	85	29,5	30	17,5	118304

Magnetic Holder with Sockets

12⁵ 1/2"

- Impact sockets for all current wheel bolts always ready to hand
- With magnetic holder – fixation, e.g. on Tool Trolley or car lift
- □ drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface phosphatized
- 4 pieces

Contents:
901 S Lg-15 17 19 21

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
901 S Lg/4					118434
901 S Lg/4 HL					118380

Impact Socket (6-Point)



- Especially for mounting and dismounting wheels
- Long and extra-slim style
- For impact operation
- **With plastic insert** to protect the surface of the wheel bolts
- □ drive 12.5 = 1/2"
- s 17 = e.g. for wheel bolts on MERCEDES-BENZ passenger cars

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
902 S Lg-17	85	25,7	30	18	045778
902 S Lg-19	85	28,2	30	19	045792



Impact Socket (6-Point)



- Especially for mounting and dismounting wheels
- Long style
- For impact operation
- **With plastic insert** to protect the surface of the wheel bolts
- Additionally with **outside plastic sleeve** to protect the rims when screwing the wheel bolts
- Colour-coded plastic sleeve facilitates finding the correct socket size
- Replaceable plastic sleeve
- □ drive 12.5 = 1/2"

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
-----------	------	-------------------	-------------------	------	------------------

903 S Lg-15: especially for SMART For Two

903 S Lg-15	85	26	30	14	072231
903 S Lg-17	85	30	30	14	045822
903 S Lg-19	85	30	30	18	045839

Especially for Japanese cars and SMART For Four

903 S Lg-21	85	30	31	17	055135
-------------	----	----	----	----	--------

Set of 3 pieces: 903 S Lg-17 19 21

903 S Lg/3					060344
------------	--	--	--	--	--------

Plastic Sleeve

HAZET No.	EAN-No. 4000896+
-----------	------------------

white, for 903 S Lg-15

903 S Lg-015	081462
--------------	--------

blue, for 903 S Lg-17

903 S Lg-017	045808
--------------	--------

yellow, for 903 S Lg-19

903 S Lg-019	045815
--------------	--------

red, for 903 S Lg-21

903 S Lg-021	055692
--------------	--------

Impact Socket (6-Point)



- Especially for mounting and dismounting wheels on AMG-rims and/or alloy rims with deeply located wheel bolts

- **Extra long style**
- For impact operation
- **With plastic insert** to protect the surface of the wheel bolts
- In addition with **outside plastic sleeve** to protect the rims when screwing the wheel bolts
- Replaceable plastic sleeve
- □ drive 12.5 = 1/2"

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
-----------	------	-------------------	-------------------	------	------------------

904 S Lg-17	130	28,3	30	18,3	100576
-------------	-----	------	----	------	--------



Impact Socket (6-Point)



- Long style for wheel bolts/nuts on e.g. Japanese and American vehicles
- □ drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 A S Lg-19 1/6	85	31,3	30	17,5	043538

12-Point Socket



- □ drive 12.5 = 1/2"
- **With Traction Profile**
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

* = not according to DIN

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 Z- 8 *	38,0	12,0	22,0	7,5	045686
900 Z- 9 *	38,0	13,5	22,0	8,5	045693
900 Z-10	38,0	14,9	22,0	10,5	045457
900 Z-11	38,0	16,4	22,0	10,5	045464
900 Z-12	38,0	17,5	22,0	11,0	045471
900 Z-13	38,0	18,8	22,0	11,0	045488
900 Z-14	38,0	20,3	22,5	11,5	045495
900 Z-15	38,0	21,5	23,2	11,5	045501
900 Z-16	38,0	22,7	23,6	12,5	045518
900 Z-17	38,0	24,1	22,0	12,5	045525
900 Z-18	38,0	25,4	22,4	14,0	045532
900 Z-19	38,0	26,6	23,0	14,0	045549
900 Z-20	38,0	27,8	24,0	14,0	045556
900 Z-21	38,0	29,0	25,0	14,0	045563
900 Z-22	41,5	30,4	25,0	17,5	045570
900 Z-23	41,5	31,4	26,0	17,5	045587
900 Z-24	44,0	32,6	26,0	20,0	045594
900 Z-25	44,0	33,9	26,5	20,0	045600
900 Z-26	44,0	35,1	24,0	20,0	045617
900 Z-27	46,0	36,2	25,0	21,0	045624
900 Z-28	47,0	37,5	26,0	22,0	045631
900 Z-29 *	50,0	38,7	27,0	25,0	045648
900 Z-30	50,0	40,1	28,0	25,0	045655
900 Z-32	50,0	42,3	28,0	24,0	045662
900 Z-33 *	50,0	43,6	28,0	24,0	045679
900 Z-34 •	52,0	46,0	28,0	23,3	144792



... the demonstration van is coming!

Impact Socket (12-Point)



- For impact operation
- □ drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 S Z-12	38	19,5	25	6,8	061785
900 S Z-13	38	20,8	25	6,8	061792
900 S Z-14	38	22,1	25	9,3	061808
900 S Z-15	38	23,5	30	9,3	061815
900 S Z-16	38	24,8	30	9,2	061822
900 S Z-17	38	26,2	30	9,2	061839
900 S Z-18	38	27,5	30	10,7	061846
900 S Z-19	40	28,8	30	11,6	061853
900 S Z-21	40	30	31,3	11,7	075362
900 S Z-22	40	30	32,5	11,7	075379
900 S Z-24	44	35	30	18,6	115556
900 S Z-27	45	38,8	30	29	115822

- s 30 for the axle shaft nut on VW Golf 4, Polo, New Beetle, AUDI TT 1.8, SKODA Octavia, Superb, Fabia

900 S Z-30 50 30 42 23 086573

- s 32 for the operation of the propeller shaft screws in the wheel hub on Touareg since 2003

900 S Z-32 50 38,2 30 30 115921

900 S Z-34 55 29 30 35 116034

- s 36 for the axle shaft nut on BMW 3, 5 and 7-series, Z3, M3, VW Polo since 2001, SEAT Ibiza since 2002

900 S Z-36 60 30 50 25 100132


12-Point Socket



- American sizes
- □ drive 12.5 = 1/2"
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 AZ-3/8	38,0	14,5	22,0	10,5	043699
900 AZ-7/16	38,0	16,4	22,0	10,5	043729
900 AZ-1/2	38,0	18,3	22,0	11,0	043620
900 AZ-9/16	38,0	20,5	22,5	11,5	043743
900 AZ-19/32	38,0	21,5	23,2	11,5	043668
900 AZ-5/8	38,0	22,7	23,6	12,5	043712
900 AZ-11/16	38,0	24,6	22,0	12,5	043637
900 AZ-3/4	38,0	26,8	23,0	14,0	043682
900 AZ-25/32	38,0	27,8	24,0	14,0	043675
900 AZ-13/16	38,0	28,6	25,0	14,0	043644
900 AZ-7/8	41,5	30,4	26,0	17,5	043736
900 AZ-15/16	44,0	32,6	26,0	20,0	043651
900 AZ-31/32	44,0	33,4	24,6	20,0	043705
900 AZ-1	44,0	34,6	24,8	20,0	043576
900 AZ-1 1/16	46,0	36,3	25,0	21,0	043583
900 AZ-1 1/8	47,0	38,2	26,5	22,0	043606
900 AZ-1 3/16	50,0	40,1	28,0	25,0	043613
900 AZ-1 1/4	50,0	42,3	28,0	24,0	043590

12-Point Socket



- Long style
- □ drive 12.5 = 1/2"
- With Traction Profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

* = not according to DIN

+ = with rubber ply for spark plugs

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 TZ-10 *	85	14,9	22,0	10	053452
900 TZ-11 *	85	16,4	22,0	11,5	053445
900 TZ-12 *	85	17,5	22,0	12,3	045242
900 TZ-13	85	18,8	22,0	13,3	045259
900 TZ-14	85	19,9	22,5	15,2	045266
900 TZ-15	85	21,5	23,2	15,2	045273
900 TZ-16	85	22,7	23,6	16	045280
900 TZ-17	85	24,1	23,6	19	045297
900 TZ-18	85	24,6	23,6	19	045310
900 TZ-19	85	26,8	26,0	19	045334
900 TZ-20.8-13/16 +	85	32,6	27,5	25	045341
900 TZ-21	85	28,6	24,5	19	045358
900 TZ-22	85	30,4	25,0	22	045365
900 TZ-24	85	32,6	27,5	25	045389
900 TZ-27	85	36,3	30,0	28	045419
900 TZ-30	85	40,1	33,0	31	045426

- Long style
- American sizes
- □ drive 12.5 = 1/2"
- With Traction Profile
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

+ = with rubber ply for spark plugs

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 TAZ-1/2	85	18,3	22,0	13,3	045167
900 TAZ-3/8	85	20,5	22,5	15,2	045228
900 TAZ-5/8	85	22,7	23,6	16	045204
900 TAZ-11/16	85	24,6	23,6	19	045174
900 TAZ-3/4	85	26,8	26,0	19	045198
900 TAZ-7/8	85	30,4	25,0	22	045211
900 TAZ-15/16	85	32,6	27,5	25	045181
900 TAZ-1	85	34,6	29,5	28	045150

TORX® Socket



- □ drive 12.5 = 1/2"
- For outside TORX® screws
- With knurling
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

TORX® Socket

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900-E 10	9,42	38,0	13,3	22	042982
900-E 11	10,08	38,0	14,0	22	043002
900-E 12	11,17	38,0	14,9	22	043019
900-E 14	12,90	38,0	16,7	22	043033
900-E 16	14,76	38,0	19,0	22	043057
900-E 18	16,70	38,0	21,0	27	043071
900-E 20	18,45	38,0	23,5	27	043095
900-E 24	22,16	41,2	28,5	27	043118

2925 11,17 140,0 15,9 23 018284

2580-E 14 12,90 190,0 16,5 23 017003

TORX® Socket Set



- 5 pieces
- in plastic drawer insert (1/12)

Contents:

900-E 10, E 12, E 14, E 16, E 18

HAZET No.	EAN-No. 4000896+
900-E/5	129331


TORX® Impact Socket



- For outside TORX® screws
- For impact operation
- □ drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
900 S-E 10	9,42	38,0	14,0	25	044542
900 S-E 12	11,17	38,0	15,9	25	044566
900 S-E 14	12,90	38,0	17,7	25	044580
900 S-E 16	14,76	38,0	20,0	25	044603
900 S-E 18	16,70	38,0	22,0	30	044627
900 S-E 20	18,45	38,0	24,5	30	044641
900 S-E 24	22,16	41,2	30,0	30	044665

Spark Plug Socket (6-Point)



- For spark plug changing
- Long style
- □ drive 12.5 = 1/2"
- With permanent magnet
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

Spark Plug Socket (6-Point)

HAZET No.	S mm	S" mm	l mm	d ₁ mm	EAN-No. 4000896+
900 Mg T	20,8	13/16	68	27,4	044023
900 A Mg T	16,0	5/8	71	22,5	043491




- For spark plug changing
- **With fixing clamp**
- Fixing clamp reduces damage to insulators
- □ drive 12.5 = 1/2"
- For manual operation
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	S mm	S" mm	l mm	d ₁ mm	EAN-No. 4000896+
900 KF	20,8	13/16	71	27,4	043859
900 A KF	16,0	5/8	71	22,5	043408



HAZET No.	EAN-No. 4000896+
Fixing Clamp for 880 KF, 900 KF, 4767 KF	
880 KF-01	050123
Fixing Clamp for 880 A KF, 900 A KF, 4766, 4766-1, 4767 A KF	
880 A KF-01	050130

INFORMATION Fixing Clamp



- ✓ Stainless and insensitive to heat
- ✓ Largest possible clearance of insulator – minimization of possible breaks
- ✓ 6 spring elements – firm hold of the plugs
- ✓ Damping of transverse motion

Speeder

12⁵/₁₆"

- ■ drive 12.5 = 1/2"
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
911	415	046010

Flexible Handle

12⁵/₁₆"

- ■ drive 12.5 = 1/2"
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
914-15	396	046027
914-18	472	046041


Sliding T-Handle

12⁵/₁₆"

- ■ drive 12.5 = 1/2"
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
915	298	046072

Fine-Tooth Reversible Ratchet

12⁵/₁₆"

- ■ drive 12.5 = 1/2"
- With 72 teeth, **actuation angle 5°**, enables working in areas with restricted access
- With locking device and quick-release press-button
- 2-component handle for more security
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
916 F	260	046140


Reversible Ratchet

12⁵/₁₆"

- ■ drive 12.5 = 1/2"
- Ratchet wheel 32 teeth
- 2-component handle for more security
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

Reversible Ratchet

HAZET No.	l mm	EAN-No. 4000896+
916 SP	275	046317

12⁵/₁₆"

- ■ drive 12.5 = 1/2"
- **With locking device and quick-release press-button**
- Ratchet wheel 32 teeth
- Safe locking of the sockets
- By pressing the button, attached tools are easily released – with just one hand
- 2-component handle for more safety
- Chrome-Vanadium
- Surface chrome-plated, heads polished

HAZET No.	l mm	EAN-No. 4000896+
916 S	275	046287

Reversible Ratchet with Hinge Joint

12⁵/₁₆"

- Short style
- **With hinge joint**
- ■ drive 12.5 = 1/2"
- Ratchet wheel 32 teeth
- 2-component handle for more safety
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	EAN-No. 4000896+
916 GK	270	046201

Telescopic Reversible Ratchet

12⁵/₁₆"

- **Continuously adjustable from 410 to 590 mm**
- Long lever arm reducing the expenditure of force
- Especially appropriate for commercial vehicles, agricultural machinery and industrial installations
- **Max. torque 600 Nm**
- Easy fixation with knurled ring
- ■ drive 12.5 = 1/2"
- Ratchet wheel 32 teeth
- Chrome-Vanadium
- Surface chrome-plated, heads polished

HAZET No.	l mm	EAN-No. 4000896+
916 Lg	410–590	116591

»Komposit« Reversible Ratchet




12⁵/₁₆"

- drive 12.5 = 1/2"
- With **locking device and quick-release press-button**
- Change-over switch on the handle enables one-hand operation
- Components are easily replaceable due to "Komposit" construction
- Shock resistant plastic body
- Ergonomic design
- Smooth-running ratchet wheel (32 teeth)
- Safe locking of the sockets
- By pressing the button, attached tools are easily released - with just one hand
- Chrome-Vanadium
- Cover plates made of chrome-plated steel
- DIN 3122, ISO 3315

HAZET No.	l mm	EAN-No. 4000896+
916 N	275	046256

Repair Set



HAZET No. EAN-No. 4000896+

Repair Set for ratchet wheel 12.5 = 1/2" ■ consisting of: shift lever, 2 screws, ball, compression spring, ratchet wheel and pawl for 916 S as well as for re-equipping 916 SP and 916 GK

916S/7 046300

Repair Set for shift lever 12.5 = 1/2" ■ consisting of: shift lever, 2 screws, ball, compression spring and pawl for 916 S, 916 SP, 916 GK, 916 Lg

916 SP/6 144624

Repair Set for ratchet wheel 12.5 = 1/2" ■ consisting of: shift lever, screws, ball, compression spring, ratchet wheel and pawl for 916 SP, 916 GK, 916 Lg

916 SP/7-1 046348

Repair Set for ratchet wheel 12.5 = 1/2" ■ consisting of: ratchet wheel with quick-release press-button, pawl, cap screws, 1 holding down bolt each (small and large), for 916 N

916 N/6 046270

Extension



- drive 12.5 = 1/2"
- Chrome-Vanadium
- Surface chrome-plated, heads polished
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
917-1	45	046362
917-3	76	046379
917-5	123	046386

Extension



- drive 12.5 = 1/2"
- Chrome-Vanadium
- Surface chrome-plated, heads polished
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
918-10	248	046416
918-23	575	046423

Adapter Extension



- For operating deeply located screws, e.g. on gearboxes
- drive 12.5 = 1/2"
- drive 10 = 3/8"
- Chrome-Vanadium
- Surface chrome-plated

HAZET No.	l mm	EAN-No. 4000896+
958-28	700	046706

Wobble Extension



- drive 12.5 = 1/2"
- With ball shaped, conical outside square drive **allowing 12.5° angular movement to every side**
- By attaching a socket until its limit stop is reached, the wobble extension may also be used as rigid extension
- Flexible shaft allows to get over obstacles and borders in areas with restricted access
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	EAN-No. 4000896+
919- 1	46	046447
919- 5	123	046461
919-10	248	046454

Wobble Extension Set

Cardboard packed

HAZET No.	EAN-No. 4000896+
3 pieces	
Contents:	
919-1 5 10	
919/3	046478

Impact Extension



- For impact operation
- drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	EAN-No. 4000896+
9005 S- 2	52	043156
9005 S- 5	130	043163
9005 S-10	255	043149

Universal Joint



- drive 12.5 = 1/2"
- Chrome-Vanadium
- Surface chrome-plated, heads polished
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
920	70	046515

Impact Ball Joint



- For impact operation
- drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface burnished

HAZET No.	l mm	EAN-No. 4000896+
9006 S	69	043170

Adapter



- drive 12.5 = 1/2"
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
drive 20 = 3/4"		
958-1	50	046676
drive 10 = 3/8"		
958-2	36	046683

Adapter Set



In HAZET plastic drawer insert,
6 pieces, 1 adapter each

Contents:

858-1 8858-1 2
958-1 2 1058-2

HAZET No.	EAN-No. 4000896+
958/6	073900
Plastic drawer insert empty for 958/6	
958/6 PL	073191

Impact Adapter



- For impact operation
- □ drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	EAN-No. 4000896+
■ drive 10 = 3/8"		
9007 S	37	072545
■ drive 20 = 3/4"		
9007 S-1	49	043217

Impact Adapter



- ■ drive 12.5 = 1/2" (DIN 3121)
- ● E 11 = 7/16" (DIN 3126)
- For impact sockets with □ drive 12.5 = 1/2"

HAZET No.	l mm	EAN-No. 4000896+
9008 S-1	75	043231



- ■ drive 12.5 = 1/2" (DIN 3121)
- ● E 8 = 5/16"
- For impact sockets with □ drive 12.5 = 1/2"

HAZET No.	l mm	EAN-No. 4000896+
9008 S-2	75	043248

Magnetic Socket Insert



- Holds nuts and screws firmly in the socket
- Inserts made of plastic with integrated magnet
- Powerful retention force
- Universal application in all metric 6-point and 12-point sockets s 10 up to 19 mm
- Easily inserted and removed
- Reusable
- 10 pieces, for metric sockets s 10 11 12 13 14 15 16 17 18 19 mm

HAZET No.	EAN-No. 4000896+
960 MgT	097661

Screwdriver Socket



- For slotted screws
- □ drive 12.5 = 1/2"
- Chrome-Vanadium
- Surface chrome-plated

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
980-2x13	21,0	38	22,0	046737
980-3x19	20,0	38	23,7	046744



- For inside hexagon screws
- □ drive 12.5 = 1/2"
- With knurling
- Blades made of special steel
- DIN 7422

* = not according to DIN

HAZET No.	l ₁ mm	l ₂ mm	l ₃ mm	d mm	EAN-No. 4000896+
985- 4 *	5	38	19	22	046829
985- 5 *	5	38	19	23	046836
985- 6	6	38	20	23	046843
985- 8	8	38	20	23	046850
985-10	10	40	21	25	046775
985-12	12	40	21	25	046782
985-14	14	40	21	25	046799
985-17 *	17	42	23	28	046805
985-19 *	19	42	23	28	046812

Screwdriver Socket Set

○ 12⁵ 1/2" (E)



320 x 128 x 58 mm

- For inside hexagon screws
- □ drive 12.5 = 1/2"
- In sheet metal box with plastic insert
- 12 parts

Contents:

985-5 6 8 10 12 14 17 19
915 916 SP 917-5 918-10

HAZET No.	EAN-No. 4000896+
985	046768

Screwdriver Socket



- For inside hexagon screws
- □ drive 12.5 = 1/2"
- With knurling
- Blades made of special steel
- DIN 7422

* = not according to DIN

HAZET No.	l ₁ mm	l ₂ mm	d mm	s mm	EAN-No. 4000896+
986- 4 *	22	60	23	4	046928
986- 5 *	22	60	23	5	046935
986- 6	22	60	23	6	046942
986- 7	22	60	23	7	046959
986- 8	22	60	23	8	046973
986-10	22	60	23	10	046874
986-12	22	60	24,6	12	046881
986-14	22	60	24,6	14	046898
986-17 *	20	60	28,5	17	046904
986-19 *	20	60	31,5	19	046911
986-22	20,5	60	28	22	082865


2584	32	70	23	6	017041
------	----	----	----	---	--------

American sizes

- For inside hexagon screws
- □ drive 12.5 = 1/2"
- With knurling
- Blades made of special steel

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
986 A-5/32	14	52	23	047048
986 A-3/16	14	52	23	047017
986 A-7/32	14	52	23	047062
986 A-1/4	14	52	23	047000
986 A-5/16	14	52	23	047031
986 A-3/8	14	52	23	047024
986 A-7/16	14	52	23	047055
986 A-1/2	14	52	23	046997

Screwdriver Socket





- Long style
- For inside hexagon screws
- □ drive 12.5 = 1/2"
- With knurling
- Blades made of special steel
- DIN 7422

986 Lg-5 6 7 with offset blade

* = not according to DIN


HAZET No.	l ₁ mm	l ₂ mm	d mm	S mm	EAN-No. 4000896+
986 Lg- 5 *	142	180	23,0	5	047109
986 Lg- 6	99	137	23,0	6	047116
986 Lg- 7	62	100	23,0	7	047123
986 Lg- 8	42	80	24,6	8	047130
986 Lg-10	103	141	24,6	10	047086



- For installing and removing the fuel filter on VW/AUDI diesel engines with engine code AJM since 5/1999 (Passat B5, Golf 4, Bora, AUDI A3 and A4), as well as SEAT and SKODA diesel engines
- Also suitable for fuel filter draining

HAZET No.	l ₁ mm	l ₂ mm	d mm	S mm	EAN-No. 4000896+
986 Lg-13	60	100	24,6	13	089222


Screwdriver Socket



- Extra long style
- For inside hexagon screws
- □ drive 12.5 = 1/2"
- With knurling
- Blades made of special steel

HAZET No.	l ₁ mm	l ₂ mm	d mm	S mm	EAN-No. 4000896+
986 S Lg-6	112	160	23	6	047147
986 S Lg-8	81	119	23	8	047154

2584-1 210 248 23 6 017058



- With ball hex, especially for working in areas with restricted access (e.g. engine compartment)
- For inside hexagon screws
- □ drive 12.5 = 1/2"
- With knurling
- Blades made of special steel

Screwdriver Socket

HAZET No.	l ₁ mm	l ₂ mm	d mm	S mm	EAN-No. 4000896+
986 KK- 5	102	140	23	5	052103
986 KK- 6	102	140	23	6	050666
986 KK- 7	102	140	23	7	052110
986 KK- 8	102	140	23	8	052127
986 KK-10	102	140	23	10	052134
986 KK-12	102	140	24,6	12	052141

2527-8 200 238 23 8 016310

Screwdriver Socket Set



- Screwdriver Sockets for inside hexagon screws
- □ drive 12.5 = 1/2"
- In sheet metal box with plastic insert
- 9 parts

Contents:

986-5 6 7 8 10 12 14 17 19

HAZET No.	EAN-No. 4000896+
986/9	051564



5 pieces, in plastic drawer insert (1/12)

Contents:

986-5 6 7 8 10

HAZET No.	EAN-No. 4000896+
986-P/5	054145



6 pieces, in plastic drawer insert (2/12)

Contents:

986 KK-5 6 7 8 10 12

HAZET No.	EAN-No. 4000896+
986 KK-P/6	054091



5 pieces, in plastic drawer insert (3/12)

Contents:

986 Lg-5 7 10

986 SLg-6 8

HAZET No.	EAN-No. 4000896+
986 S Lg-P/5	054039

Screwdriver Socket



- For Phillips-Recess screws PH
- □ drive 12.5 = 1/2"
- With knurling
- Blades made of special steel
- Tips according to DIN ISO 8764-1

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
988-PH 2	18	56	23	047192
988-PH 3	18	56	23	047208
988-PH 4	18	56	23	047215



- Short style
- For screws with internal serration XZN
- □ drive 12.5 = 1/2"
- With knurling
- Blades made of special steel
- DIN 3124

HAZET No.	M	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
990- 5	5	14	52	23	047307
990- 6	6	14	52	23	047314
990- 8	8	15	53	23	047321
990-10	10	15	53	23	047253
990-12	12	17	55	23	047277
990-14	14	20	58	24,6	047284
990-16	16	22	60	24,6	047291

For installing and removing the wheel hub bearing at the rear axle

– AUDI A 3 since 2004
– VW Touran since 2004

990-18 18 45 85 26 108916


2752 12 17 45 23 017522



- Long style
- For screws with internal serration XZN
- □ drive 12.5 = 1/2"
- With knurling
- Blades made of special steel
- DIN 3124

990 Lg- 8 e.g. for drive shafts on VW-AUDI
990 Lg- 9 for cylinder head bolts on TOYOTA Corolla 1.4 I and YARIS 1.0 I
990 Lg-14 for cylinder head bolts on VM diesel engines, e.g. CHRYSLER

HAZET No.	M	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
990 Lg- 6	6	62	100	23	056248
990 Lg- 8	8	62	100	23	047352
990 Lg- 9	9	62	100	23	103140
990 Lg-10	10	62	100	23	047338
990 Lg-12	12	62	100	23	047345
990 Lg-14	14	62	100	23	065240



- Extra long style
- For screws with internal serration XZN
- □ drive 12.5 = 1/2"
- With knurling

Screwdriver Socket

- Blades made of special steel
- For cylinder head bolts on engines of different car types, e.g. VW-AUDI, OPEL, TOYOTA
- DIN 3124

HAZET No.	M	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
990 S Lg-10	10	82	120	23	047369
990 S Lg-12	12	102	140	23	047376

Screwdriver Socket Set



225 x 123 x 46 mm

- For screws with internal serration XZN
- drive 12.5 = 1/2"
- In blue sheet metal box with plastic insert
- 9 pieces

Contents:

990-5 6 8 10 12 14 16
991-8 10

HAZET No.	EAN-No. 4000896+
990/9	051557

5 pieces,
in plastic drawer insert (1/12)

Contents:

990-5 6 8 10 12

HAZET No.	EAN-No. 4000896+
990-P/5	054053

3 pieces,
in plastic drawer insert (1/12)

Contents:

990 Lg-8
990 S Lg-10 12

HAZET No.	EAN-No. 4000896+
990 S Lg-P/3	054046

Screwdriver Socket



- For spline socket screws RIBE CV
- drive 12.5 = 1/2"
- With knurling
- Blades made of special steel

HAZET No.	M	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
991-5	5	25	63	23	047444
991-6	6	25	63	23	047451

Screwdriver Socket

HAZET No.	M	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
-----------	---	-------------------	-------------------	------	------------------

For car body and engine work on **FIAT**
e.g. for valve and spark plug covers

991-7	7	25	63	23	132799
991-8	8	25	63	23	047468

FIAT engines 1.2 8V / 16 V

991-9	9	25	63	23	132812
991-10	10	25	63	23	047406

For cylinder head bolts on **FIAT** 2.0 engines

991-12	12	25	63	23	047413
--------	----	----	----	----	--------

For cylinder head bolts on **ALFA**,
e.g. 1.6 16V engines

991-13	13	25	63	24,6	132829
991-14	14	25	63	24,6	047420
991-16	16	25	63	24,6	047437

TORX® Screwdriver Socket



- Short style
- For inside TORX® screws
- drive 12.5 = 1/2"
- With knurling
- Blades made of special steel

HAZET No.	mm	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
992-T 20	3,86	17	55	23	047475
992-T 25	4,43	17	55	23	047482
992-T 27	4,99	17	55	23	047499
992-T 30	5,52	17	55	23	047505
992-T 40	6,65	17	55	23	047512
992-T 45	7,82	17	55	23	047529
992-T 50	8,83	17	55	23	047543
992-T 55	11,22	18	56	24,6	047574
992-T 60	13,25	18	56	24,6	047598



- Short style
- With front bore hole
- For tamper resistant TORX® screws (inside TORX® screws with pin)
- drive 12.5 = 1/2"
- With knurling
- Blades made of special steel

HAZET No.	mm	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
992-T 20 H	3,86	17	55	23	062942
992-T 25 H	4,43	17	55	23	062959
992-T 27 H	4,99	17	55	23	062966
992-T 30 H	5,52	17	55	23	050857
992-T 40 H	6,65	17	55	23	050864
992-T 45 H	7,82	17	55	23	050871
992-T 50 H	8,83	17	55	23	050888
992-T 55 H	11,22	18	56	23	050895
992-T 60 H	13,25	18	56	23	062973

Screwdriver Socket Set

5 pieces,
in plastic drawer insert (1/12)

Contents:

992-T 30 H T 40 H T 45 H T 50 H T 55 H

Screwdriver Socket Set

HAZET No.	EAN-No. 4000896+
-----------	------------------

992 H-P/5 054152

TORX® Screwdriver Socket



- Long style
 - For inside TORX® screws
 - drive 12.5 = 1/2"
 - With knurling
 - Blades made of special steel
- T 70: for cylinder head bolts on **FORD** 1.8 l diesel (Turbo), Fiesta, Escort, Sierra

HAZET No.	mm	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
992 Lg-T 50	8,83	62	100	23	103133
992 Lg-T 55	11,22	57	96	23,3	057337
992 Lg-T 60	13,25	45	83	23	100590
992 Lg-T 70	15,54	67	105	24,6	047611



- Extra long style
- For inside TORX® screws
- drive 12.5 = 1/2"
- With knurling
- Blades made of special steel

T45: For intake bridge **FORD** Scorpio 2.4, 2.8 and 2.9 l injection engine, VW Passat gearbox types 02 A, 1.6, 1.8 and 2.0 lT55: For cylinder head bolts on various **FORD** engines, e.g. Mondeo 16 V

HAZET No.	mm	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
992 S Lg-T 40	6,65	100	138	23	103539
992 S Lg-T 45	7,82	100	138	23	047635
992 S Lg-T 50	8,83	100	138	23	103454
992 S Lg-T 55	11,22	102	138	23	047642

TORX® Screwdriver Socket Set



225 x 123 x 46 mm

- For inside TORX® screws
- drive 12.5 = 1/2"
- In blue sheet metal box with plastic insert
- 9 pieces

Contents:

992-T 20 T 25 T 27 T 30 T 40
T 45 T 50 T 55 T 60

HAZET No.	EAN-No. 4000896+
992/9	051540

TORX® Impact Screwdriver Socket



- Für inside TORX® screws
- For impact operation
- □ drive 12.5 = 1/2"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	mm	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
995 S-T 30	5,52	21,4	40	25,1	047666
995 S-T 40	6,65	21,1	40	25,1	047680
995 S-T 45	7,82	21,1	40	25,1	057597
995 S-T 50	8,83	22,4	40	25,1	047703
995 S-T 55	11,22	22,4	40	25,1	047727
995 S-T 60	13,25	22,1	40	25,1	047741

O-Ring and Connecting Pin



HAZET No.	mm	EAN-No. 4000896+
For sockets □ drive 12.5 = 1/2" 8–14 mm, 13 mm long style, E 10–E 16, T 30–T 60		
900 S-G 1014	∅ 19 x 4	044689
For sockets □ drive 12.5 = 1/2" 15–27 mm, 16–27 mm long style, E 18–E 24, extensions, universal joints, adapters		
900 S-G 1527	∅ 24 x 4	044696
For sockets □ drive 12.5 = 1/2" 8–14 mm, 13 mm long style, E 10–E 16, T 30–T 60		
900 S-H 1014	∅ 3 x 20	044702
For sockets □ drive 12.5 = 1/2" 15–27 mm, 16–27 mm long style, E 18–E 24, extensions, universal joints, adapters		
900 S-H 1527	∅ 3 x 26	044719

Safety Spring



For impact sockets according to DIN 3129

HAZET No.	mm	EAN-No. 4000896+
For sockets □ drive 12.5 = 1/2" 8–14 mm, E 10–E 16		
900 S-HF 814	∅ 21	044733
For sockets □ drive 12.5 = 1/2" 15–27 mm, E 18–24, extensions, universal joints, adapters		
900 S-HF 1530	∅ 25	044726

Socket Rail



Socket Rail

- □ drive 12.5 = 1/2"
- Easy installation: 2 bore holes, e.g. for wall fixation
- Holding clamps adapted to the drive size
- Clear arrangement on rail keeps sockets always ready to hand
- Made of metal

HAZET No.	l mm	EAN-No. 4000896+
14 6-Point Sockets		
Contents:		
900-10	11 12 13 14 15 16	
	17 18 19 21 22 24 27	
900/14 H	430	051779
Empty, with 16 socket clips suitable for sockets of 900 series		
900 HL	430	043842

Magnetic Socket Rail, empty



- 10 exchangeable holding squares well-suited to the drive size (□ 12.5 = 1/2")
- With **magnetic back** for fixation on, e.g. – tool trolley – or in tool trolley's drawers (exactly fitting into drawers of HAZET tool trolley "Assistent")
- Safe fixation of the sockets due to special locking system (ball clamping) in the holding square. Locking release by turning the socket by 90°.
- Clear arrangement – sockets are always ready to hand
- Rail made of metal, clips made of plastic

HAZET No.	l mm	EAN-No. 4000896+
900 MH L	342	120659

Socket Set (6-Point)



Socket Set (6-Point)

- □ drive 12.5 = 1/2"
 - In plastic box with integrated handle
 - With PUR foam insert – all tools are snugly embedded
 - 25 pieces
- Contents:
- | | | | | | | | | | |
|--------|--------|-------|----|----|----|----|----|----|----|
| 900-10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| | 20 | 21 | 22 | 23 | 24 | 26 | 27 | 28 | 30 |
| 915 | 916 SP | 917-5 | | | | | | | |
| 918-10 | 920 | | | | | | | | |

HAZET No.	EAN-No. 4000896+
900	042685

Socket Set (6-Point)



- □ drive 12.5 = 1/2"
 - In plastic box with integrated handle
 - With PUR foam insert – all tools are snugly embedded
 - 17 pieces
- Contents:
- | | | | | | | |
|--------|--------|----|----|----|----|----|
| 900-10 | 11 | 12 | 13 | 14 | 15 | 17 |
| | 19 | 22 | 24 | 27 | 30 | 32 |
| 915 | 916 SP | | | | | |
| 917-5 | 918-10 | | | | | |

HAZET No.	EAN-No. 4000896+
906	045891

Socket Set (6-Point)



- □ drive 12.5 = 1/2"
 - In plastic box with integrated handle
 - With PUR foam insert – all tools are snugly embedded
 - 15 pieces
- Contents:
- | | | | | | |
|--------|--------|-----|----|----|----|
| 900-10 | 11 | 12 | 13 | 14 | 16 |
| | 17 | 18 | 19 | 21 | 22 |
| 916 SP | 918-10 | 920 | | | |

HAZET No.	EAN-No. 4000896+
932 N	046553

Socket Set (6-Point)

 (E) 6.3 1/4 12⁵ 1/2 (R)


344 x 188 x 56 mm

- **Combinational set** with
 - drive 6.3 = 1/4" and
 - drive 12.5 = 1/2"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 23 pieces

Contents:

 850-5 5,5 6 7 8 10 11
 863 P 867-4 869
 900-12 13 14 15 16 17 18 19 21 22
 916 SP 917-5 920
HAZET
No.EAN-No.
4000896+

938 N

046607

Socket Set (6-Point)

 (E) 12⁵ 1/2 (R)


410 x 216 x 65 mm

- **American sizes**
 - drive 12.5 = 1/2"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 20 pieces

Contents:

 900 A-3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16
 7/8 15/16 1 1 1/4 1 1/8 1 3/8 1 1/4
 915 916 SP 917-5 918-10 920
HAZET
No.EAN-No.
4000896+

900 A N

043514

Socket Set (12-Point)

 (E) 12⁵ 1/2 (R)


410 x 216 x 65 mm

- □ drive 12.5 = 1/2"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 17 pieces

Contents:

 900 Z-10 11 12 13 14 15 17 19 22 24 27
 30 32
 915 916 SP 917-5 918-10
HAZET
No.EAN-No.
4000896+

906 Z

045945

Socket Set (6-Point)

(E) (R)



410 x 216 x 65 mm

- Additionally with screwdriver sockets, bits and adapter
- □ drive 12.5 = 1/2"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 44 pieces

Contents:

 900-10 11 12 13 14 15 17 19 20
 21 22 23 24 26 27 28 30 32
 915 916 SP 917-5 918-10 920
 986-5 6 7 8 10 12 14
 2217-PH1 PH2 PH3 PH4
 2218-PZ1 PZ2 PZ3 PZ4
 2224-T27 T30 T40 T45 T50
 2250-5
HAZET
No.EAN-No.
4000896+

954 N

046621

Socket Set (12-Point)

 (E) 12⁵ 1/2 (R)


410 x 216 x 65 mm

- □ drive 12.5 = 1/2"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 25 pieces

Contents:

 900 Z-10 11 12 13 14 15 16 17 18 19
 20 21 22 23 24 26 27 28 30 32
 915 916 SP 917-5
 918-10 920
HAZET
No.EAN-No.
4000896+

900 Z

045440

Socket Set (12-Point)

 (E) 12⁵ 1/2 (R)


410 x 216 x 65 mm

- **American sizes**
 - drive 12.5 = 1/2"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 23 pieces

Contents:

 900 AZ-3/8 7/16 1/2 9/16 19/32 5/8 11/16 3/4
 25/32 13/16 7/8 15/16 31/32 1 1 1/8 1 1/4
 1 3/8 1 1/4
 915 916 SP 917-5 918-10 920
HAZET
No.EAN-No.
4000896+

900 A Z

043569

Socket Set (12-Point)

Ⓔ 12⁵/₁₆"



410 x 216 x 65 mm

- American sizes
- □ drive 12.5 = 1/2"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 18 pieces

Contents:
900 AZ- 3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16
7/8 15/16 1 1 1/16 1 1/8 1 3/8 1 1/4
916 SP 918-10 920

HAZET No. EAN-No. 4000896+

932 AZ N 046539

Socket Set (6-Point)

Ⓔ 12⁵/₁₆" Ⓡ



435 x 215 x 62 mm

- □ drive 12.5 = 1/2"
- In sheet metal box with plastic insert
- 31 pieces

Contents:
900-8 9 10 11 12 13 14 15
16 17 18 19 20 21 22 23
24 25 26 27 28 30 32
911 914-15
915 916 SP
917-5 918-10
920 980-2 x 13

HAZET No. EAN-No. 4000896+

905 045846

Socket Set (12-Point)

Ⓔ 12⁵/₁₆"



435 x 215 x 62 mm

- American sizes
- □ drive 12.5 = 1/2"
- In sheet metal box with plastic insert
- 26 pieces

Contents:
900 AZ- 3/8 7/16 1/2 9/16 19/32 5/8
11/16 3/4 29/32 13/16 7/8 15/16
31/32 1 1 1/16 1 1/8 1 3/8 1 1/4
911 914-15
915 916 SP
917-5 918-10
920 980-2 x 13

HAZET No. EAN-No. 4000896+

905 AZ 045853

Socket Set (12-Point)

Ⓔ 12⁵/₁₆"



410 x 216 x 65 mm

- American and metric sizes
- □ drive 12.5 = 1/2"
- In plastic box with integrated handle
- With PUR foam insert – all tools are snugly embedded
- 36 pieces

Contents:
900 Z-10 11 12 13 14 15 16 17
18 19 21 22 24 27 30 32
900 AZ- 3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16
7/8 15/16 1 1 1/16 1 1/8 1 3/8 1 1/4
915 916 SP 917-5 918-10 920

HAZET No. EAN-No. 4000896+

907 AM Z 045969

Socket Set (12-Point)

Ⓔ 12⁵/₁₆" Ⓡ



435 x 215 x 62 mm

- □ drive 12.5 = 1/2"
- In sheet metal box with plastic insert
- 31 pieces

Contents:
900 Z- 8 9 10 11 12 13 14
15 16 17 18 19 20 21 22
23 24 25 26 27 28 30 32
911 914-15
915 916 SP
917-5 918-10
920 980-2 x 13

HAZET No. EAN-No. 4000896+

905 Z 045877

Impact Socket Set (6-Point)

Ⓔ 12⁵/₁₆"



435 x 215 x 59 mm

- For impact operation
- □ drive 12.5 = 1/2"
- In sheet metal box
- With plastic insert
- 23 pieces

Contents:
900 S-13 14 16 17 18
19 21 22 24 27
900 SLg-13 16 17 18
19 21 22 24 27
900 -HF 1530 HF 814
9005 S-5 9006 S

HAZET No. EAN-No. 4000896+

900 S 057153

HAZET – Range of 20 3/4" 25 1" Sockets

- ✓ Socket Sets
- ✓ Reversible Ratchet Heads
- ✓ Sockets
- ✓ Screwdriver Sockets (20 3/4" only)
- ✓ Universal Joints
- ✓ Extensions, Adapters and many more ...



20 3/4"

4



25 1"

6-Point Socket



- drive 20 = 3/4"
- With knurling
- For manual operation
- With locking pin
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

* = not according to DIN

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1000-19 *	52,0	28,0	33,2	14,2	000623
1000-21	52,0	31,0	33,2	14,0	000647
1000-22 *	52,0	32,0	33,2	13,5	000654
1000-24	52,0	34,0	36,0	16,0	000661
1000-27	54,0	38,0	35,0	18,8	000678
1000-30	55,0	42,0	36,0	21,0	000692
1000-32	58,0	44,5	36,0	23,4	000708
1000-33	59,0	46,0	36,0	23,9	000715
1000-34	60,0	47,5	36,0	24,8	000722
1000-36	61,5	49,5	36,0	25,7	000746
1000-38 *	65,0	52,5	36,0	28,3	000760
1000-41	68,5	55,5	39,0	31,2	000784
1000-42 *	70,0	57,5	41,0	31,2	000791
1000-46	73,0	62,0	44,0	34,0	000807
1000-50	76,0	67,0	45,0	37,1	000814
1000-55 *	82,0	73,5	45,0	40,8	000821
1000-60 *	88,0	80,0	45,0	44,9	000838

Impact Socket (6-Point)



- Suitable for all types of electric and pneumatic screwdrivers (**rotary and impact wrenches**)
- For excessive use
- drive 20 = 3/4"
- Chrome-Vanadium special steel
- Surface phosphatized
- DIN 3129, ISO 2725-2

* = not according to DIN

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1000 S-17	48	29,0	44	12	001217
1000 S-18	48	30,5	44	13	001224
1000 S-19	48	32,0	44	13	001231
1000 S-22	50	36,5	44	16	001248
1000 S-24	50	39,5	44	17	001255
1000 S-27	51	43,5	44	19	001262
1000 S-28 *	54	45,0	44	19	001279
1000 S-30	54	47,4	44	21	001293
1000 S-32	54	49,9	44	21	001309
1000 S-33 *	54	51,5	44	21	001316
1000 S-34	54	52,4	44	22	001323
1000 S-36	57	54,9	44	23	001330
1000 S-38 *	58	58,0	44	24	001347

Impact Socket (6-Point)



- Long style
- For impact operation
- drive 20 = 3/4"

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1000 S Lg-21	100	35,0	44	15	001378
1000 S Lg-22	100	36,5	44	16	001385
1000 S Lg-24	100	39,5	44	17	001392
1000 S Lg-27	100	43,5	44	19	001408
1000 S Lg-30	100	47,5	44	21	001422
1000 S Lg-32	100	50,0	44	21	001439
1000 S Lg-33	100	51,5	44	21	001446
1000 S Lg-34	100	52,5	44	22	001453
1000 S Lg-36	100	55,0	44	23	001460



- Long style, e.g. for deeply located wheel nuts/bolts on commercial vehicles
- For impact operation
- drive 20 = 3/4"

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1004 S-24	400	44	38	25	055807
1004 S-27	400	44	42	28	055760
1004 S-30	400	44	46	29	055777
1004 S-32	400	44	48	33,5	055784
1004 S-33	400	44	50	33,5	055791
1004 S-36	400	44	53	35,5	055814

12-Point Socket



- drive 20 = 3/4"
- With knurling
- For manual operation
- With locking pin
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

12-Point Socket

* = not according to DIN

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1000 Z-19 *	52,0	28,0	33,2	14,2	001484
1000 Z-21	52,0	31,0	33,2	14,0	001491
1000 Z-22 *	52,0	32,0	33,2	13,5	001507
1000 Z-24	52,0	34,0	36,0	16,0	001521
1000 Z-27	54,0	38,0	35,0	18,8	001552
1000 Z-30	55,0	42,0	36,0	21,0	001583
1000 Z-32	58,0	44,5	36,0	23,4	001590
1000 Z-34	60,0	47,5	36,0	24,8	001613
1000 Z-35 *	61,5	48,5	35,5	25,8	001620
1000 Z-36	61,5	49,5	36,0	25,7	001637
1000 Z-38 *	65,0	52,5	38,0	28,3	001644
1000 Z-41	68,5	55,5	39,0	31,2	001651
1000 Z-46	73,0	62,0	44,0	34,0	001675
1000 Z-50	76,0	67,0	45,0	37,1	001699
1000 Z-55	82,0	78,5	45,0	40,8	001712
1000 Z-60	88,0	80,0	45,0	44,9	001729

12-Point Socket



- American sizes
- drive 20 = 3/4"
- With knurling
- For manual operation
- With locking pin
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1000 AZ-3/4	52,0	28,0	33,2	14,0	001163
1000 AZ-7/8	52,0	32,0	33,2	13,5	001170
1000 AZ-15/16	52,0	34,0	36,0	16,9	001132
1000 AZ-1	52,0	36,5	33,2	16,9	000999
1000 AZ-1 1/16	54,0	38,0	35,0	18,8	001002
1000 AZ-1 1/8	55,0	40,0	36,0	20,8	001033
1000 AZ-1 3/16	55,0	42,0	36,0	21,0	001064
1000 AZ-1 1/4	58,0	44,5	36,0	23,4	001026
1000 AZ-1 5/16	59,0	46,0	36,0	23,9	001095
1000 AZ-1 3/8	61,5	48,5	36,0	25,8	001088
1000 AZ-1 7/16	63,0	50,0	36,0	27,2	001118
1000 AZ-1 1/2	65,0	52,5	38,0	28,6	001019
1000 AZ-1 5/8	68,5	55,5	39,0	31,2	001101
1000 AZ-1 11/16	71,0	58,0	41,0	33,1	001040
1000 AZ-1 3/4	72,0	60,0	41,0	33,6	001071
1000 AZ-1 13/16	73,0	62,0	44,0	34,0	001057
1000 AZ-1 7/8	73,0	64,0	45,0	35,0	001125
1000 AZ-2	78,0	68,0	45,0	38,7	001149
1000 AZ-2 1/4	85,0	76,5	45,0	42,0	001156

Screwdriver Socket



- drive 20 = 3/4"
- For inside hexagon screws
- With knurling
- For manual operation
- With locking pin

Screwdriver Socket

- Chrome-Vanadium
- Surface chrome-plated, tips burnished
- DIN 7422

HAZET No.	l ₁ mm	l ₂ mm	l ₃ mm	d mm	EAN-No. 4000896+
1010-14	16,7	54,5	27,2	36	001842
1010-17	19,7	54,5	27,2	36	001859
1010-19	21,7	56,5	29,2	36	001866
1010-22	24,7	56,5	29,2	36	001873

TORX® Screwdriver Socket



- For the operation of inside TORX® screws, e.g. on commercial vehicles and agricultural machinery
- Application, e.g. at the front axle: screws of the steering tie lever on commercial vehicles MAN
- 1012-T 80 for M series
1012-T 100 for F series
- Blades made of special steel

HAZET No.	l ₁ mm	l ₂ mm	d mm	EAN-No. 4000896+
1012-T 60	28	80	13,25	087488
1012-T 70	28	80	15,53	087495
1012-T 80	28	80	17,59	087501
1012-T 90	28	80	19,95	087518
1012-T 100	28	80	22,15	087525

Handle Bar

- With ball and locking pin
- For HAZET Sliding Head 1015-1 or HAZET Ratchet Head 1016
- Chrome-Vanadium
- Surface chrome-plated

HAZET No.	l mm	EAN-No. 4000896+
1014	500	001897



- With HAZET-ergonomic plastic handle
- With locking pin
- For HAZET Sliding Head 1015-1 or HAZET Ratchet Head 1016
- Chrome-Vanadium
- Surface chrome-plated

HAZET No.	l mm	EAN-No. 4000896+
1014 P	505	001903

Sliding Head



- drive 20 = 3/4"
- With ball locking device
- For HAZET Handle Bar 1014 or 1014 P
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	EAN-No. 4000896+
1015-1	60	001910

Handle Bar with Sliding Head



- drive 20 = 3/4"
- 2 pieces
HAZET Handle Bar 1014 and Sliding Head 1015-1
- Chrome-Vanadium
- Surface chrome-plated, polished

Contents:
1014 1015-1

HAZET No.	l mm	EAN-No. 4000896+
1015/2	500	001927

Reversible Ratchet Head



- drive 20 = 3/4"
- with ball and locking pin
- Shank with locking pin
- Ratchet wheel 32 teeth
- Chrome-Vanadium
- Surface chrome-plated

HAZET No.	l mm	EAN-No. 4000896+
1016	165	001941



Repair Set for shift lever,
consisting of: shift lever, screws,
ball, compression spring
for 1016, 1016/2,
6132-1 CT, 6143 CT, 6143-1 CT,
6143-01, 6144 CT, 6144-1 CT, 6144-01
6145 CT, 6145-1 CT, 6145-01, 6146-1 CT

1016/6 001972

Repair Set for ratchet wheel 20 = 3/4" ■
consisting of:
ratchet wheel, pawl, shift lever, screws, ball,
compression spring
for 1016, 1016/2,
6132-1 CT, 6143 CT, 6143-01, 6143-1 CT,
6144 CT, 6144-01, 6144-1 CT,
6145 CT, 6145-01, 6145-1 CT, 6146-1 CT

1016/8 N 001989

Reversible Ratchet with Handle Bar



- drive 20 = 3/4"
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

Reversible Ratchet with Handle Bar

Contents:
1014 P 1016

HAZET No.	l mm	EAN-No. 4000896+
1016/2	620	001965

Extension



- drive 20 = 3/4"
- with ball and locking pin
- with locking pin
- Chrome-Vanadium
- Surface chrome-plated, polished
- 1017-8 = DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
1017-3	75	001996
1017-8	200	002016



- drive 20 = 3/4"
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
1018	400	002030

Impact Extension



- For impact operation
- drive 20 = 3/4"
- Chrome-Vanadium special steel
- Surface burnished

HAZET No.	l mm	EAN-No. 4000896+
1005 S- 7	175	001774
1005 S-10	250	001750
1005 S-13	330	001767

Universal Joint



- drive 20 = 3/4"
- with ball and locking pin
- with locking pin
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
1021	105	002054

Impact Ball Joint



- For impact operation
- $\square$ drive 20 = 3/4"
- Chrome-Vanadium special steel
- Surface burnished

HAZET No.	l mm	EAN-No. 4000896+
1006 S	99	001781

Adapter



- $\square$ drive 20 = 3/4"
- $\square$ with locking pin
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
■ drive 25 = 1" with locking pin		
1058-1	60,6	002061
■ drive 12.5 = 1/2" with locking ball, square replaceable		
1058-2	52,3	002078

Impact Adapter



- For impact operation
- $\square$ drive 20 = 3/4"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	EAN-No. 4000896+
■ drive 12.5 = 1/2"		
1007 S-1	56	001804
■ drive 25 = 1"		
1007 S-2	65	001828

O-Ring and Connecting Pin



HAZET No.	mm	EAN-No. 4000896+
For all $\square$ connections 20 = 3/4"		
1000 S-G 1736	$\varnothing$ 36 x 5	001354
1000 S-H 1736	$\varnothing$ 4 x 36	001361

Socket Set (6-Point)



- $\square$ drive 20 = 3/4"
- In sheet metal box with plastic insert
- 15 pieces

Contents:
1000-22 24 27 30 32 36 38 41 46 50
1014 1015-1 1016 1017-8 1018

HAZET No.	EAN-No. 4000896+
1000	000616



- $\square$ drive 20 = 3/4"
- In sheet metal box with plastic insert
- 18 pieces

Contents:
1000-22 24 27 30 32 36 38 41 46 50 55 60
1014 1015-1 1016 1017-8 1018 1021

HAZET No.	EAN-No. 4000896+
1002	001736

Socket Set (12-Point)



Socket Set (12-Point)

- $\square$ drive 20 = 3/4"
- In sheet metal box with plastic insert
- 15 pieces

Contents:
1000 Z-22 24 27 30 32 36 38 41 46 50
1014 1015-1 1016 1017-8 1018

HAZET No.	EAN-No. 4000896+
1000 Z	001477



- $\square$ drive 20 = 3/4"
- In sheet metal box with plastic insert
- 18 pieces

Contents:
1000 Z-22 24 27 30 32 36 38 41 46 50
1000-55 60
1014 1015-1 1016 1017-8 1018 1021

HAZET No.	EAN-No. 4000896+
1002 Z	001743



- American sizes
- $\square$ drive 20 = 3/4"
- In sheet metal box with plastic insert
- 21 pieces

Contents:
1000 AZ- 7/8 1 1 1/16 1 1/8 1 3/16
1 1/4 1 5/16 1 3/8 1 7/16 1 1/2 1 5/8
1 3/4 1 13/16 1 7/8 2
1014 1015-1 1016 1017-8 1018

HAZET No.	EAN-No. 4000896+
1000 AZ	000982

12-Point Socket



- drive 25 = 1"
- With knurling
- For manual operation
- With locking pin
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3124, ISO 2725-1

* = not according to DIN

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1100 Z-32 *	67	48,0	46	23,4	002511
1100 Z-34 *	68	51,0	46	23,3	049677
1100 Z-36 *	66	52,0	48	29,0	002528
1100 Z-41	70	57,0	48	32,0	002535
1100 Z-46	75	62,0	48	34,3	002542
1100 Z-50	80	68,0	48	37,0	002559
1100 Z-55	85	74,0	48	39,5	002566
1100 Z-60	90	80,0	48	42,0	002573
1100 Z-65	105	88,0	60	48,0	002580
1100 Z-70	110	96,0	60	50,5	002603
1100 Z-75	115	102,0	60	53,0	002610
1100 Z-80	120	108,5	60	55,5	002627

Impact Socket (6-Point)



- Especially long style e.g. for **deeply located wheel nuts/bolts** on commercial vehicles
- For impact operation
- drive 25 = 1"

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1104 S-32	270	51,5	54	32	002665



- Suitable for all types of electric and pneumatic screwdrivers (**rotary and impact wrenches**)
- For excessive use
- drive 25 = 1"
- Chrome-Vanadium special steel
- Surface phosphatized
- DIN 3129, ISO 2725-2

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1100 S-24	58	41,5	54	17	002207
1100 S-27	60	45,0	54	19	002214
1100 S-30	62	49,0	54	21	002221
1100 S-32	63	51,5	54	21	002238

Impact Socket (6-Point)

* = not according to DIN

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1100 S-33 *	63	52,5	54	21	002252
1100 S-34	63	53,5	54	22	002269
1100 S-36	67	56,5	54	23	002276
1100 S-38 *	70	59,0	54	24	002283
1100 S-41	70	63,0	54	26	002290
1100 S-46	76	69,5	54	28	002320
1100 S-50	82	74,5	54	30	002344
1100 S-55	87	81,0	54	32	002351
1100 S-60	91	87,0	54	34	002375



- Long style
- For impact operation
- drive 25 = 1"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	d ₁ mm	d ₂ mm	t mm	EAN-No. 4000896+
1100 S Lg-24	110	41,5	54	17	002405
1100 S Lg-27	110	45,0	54	19	002412
1100 S Lg-30	110	49,0	54	21	002429
1100 S Lg-32	110	51,5	54	21	002436
1100 S Lg-33	110	52,5	54	21	002443
1100 S Lg-34	110	53,5	54	22	002450
1100 S Lg-36	110	56,5	54	23	002467
1100 S Lg-38	110	59,0	54	24	002474
1100 S Lg-41	110	63,0	54	26	002481
1100 S Lg-46	110	69,5	54	28	002498

Handle Bar



- With ball and locking pin
- For HAZET Sliding Head 1115-1 or HAZET Ratchet Head 1116
- Chrome-Vanadium
- Surface chrome-plated

HAZET No.	l mm	EAN-No. 4000896+
1114	700	003150

Sliding Head



- drive 25 = 1"
- With ball locking device
- For HAZET Handle Bar 1114
- Chrome-Vanadium
- Surface chrome-plated, polished

HAZET No.	l mm	EAN-No. 4000896+
1115-1	80	003167

Handle Bar with Sliding Head



- drive 25 = 1"
- 2 pieces: HAZET Handle Bar 1114 and HAZET Sliding Head 1115-1
- Chrome-Vanadium
- Surface chrome-plated, polished

Contents:

1114 1115-1


HAZET No.	EAN-No. 4000896+
1115/2	003181

Reversible Ratchet Head



- drive 25 = 1"
- with ball and locking pin
- Shank with locking pin
- Ratchet wheel 32 teeth
- Chrome-Vanadium
- Surface chrome-plated

HAZET No.	l mm	EAN-No. 4000896+
1116	195	003198



Repair Set for shift lever

consisting of:
shift lever, screws, ball, compression spring for 1116, 6150-1 CT

1116/6 003228

Repair Set for ratchet wheel 25 = 1" ■

consisting of:
shift lever, screws, ball, compression spring, pawl, ratchet wheel for 1116

1116/8 N 003235

Reversible Ratchet with Handle Bar



- drive 25 = 1"
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3122, ISO 3315

Contents:

1114 1116

HAZET No.	l mm	EAN-No. 4000896+
1116/2	824	003211

Extension



- □ drive 25 = 1"
- ■ with ball and locking pin
- □ with locking pin
- Chrome-Vanadium
- Surface chrome-plated, polished
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
1117- 8	200	003259
1117-16	400	003242

Impact Extension



- For impact operation
- ■ □ drive 25 = 1"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	EAN-No. 4000896+
1105 S- 7	180	002702
1105 S-13	330	002696

Universal Joint



- ■ □ drive 25 = 1"
- ■ with ball and locking pin
- □ with locking pin
- Chrome-Vanadium
- Surface chrome-plated

HAZET No.	l mm	EAN-No. 4000896+
1121	144	003273

Impact Ball Joint



- For impact operation
- ■ □ drive 25 = 1"
- Chrome-Vanadium special steel
- Surface burnished

HAZET No.	l mm	EAN-No. 4000896+
1106 S	125	002719

Adapter



Adapter

- □ drive 25 = 1"
- □ with locking pin
- ■ drive 20 = 3/4"
- ■ with ball and locking pin
- Chrome-Vanadium
- Surface chrome-plated
- DIN 3123, ISO 3316

HAZET No.	l mm	EAN-No. 4000896+
1158-2	70	003297

Impact Adapter



- □ drive 25 = 1"
- ■ drive 20 = 3/4"
- Chrome-Vanadium special steel
- Surface phosphatized

HAZET No.	l mm	EAN-No. 4000896+
1107 S	70	002733

O-Ring and Connecting Pin



HAZET No.	mm	EAN-No. 4000896+
For all □ connections 25 = 1"		
1100 S-G 2260	∅ 45 x 7	002382
1100 S-H 2260	∅ 5 x 45	002399

Socket Set (12-Point)



- □ drive 25 = 1"
- In sheet metal box
- 17 pieces

Contents:
 1100 Z-32 36 41 46 50
 55 60 65 70 75 80
 1114 1115-1 1116
 1117-8 16
 1121

HAZET No.	EAN-No. 4000896+
1100 Z	002504

Tool Case



Practical and exclusive "Slim-Line" case
1520/56
 Assortment, 56 parts for universal application
 see page 48

TORX® Tools

TORX® Screw Driving Tool Set



- □ drive 6.3 = 1/4" and 12.5 = 1/2"
- Common tools for inside and outside TORX® screws
- In sheet metal case
- With plastic insert
- 64 pieces

Contents:
 609-E6 x E8 E10 x E12 E14 x E18 E20 x E24
 803-T6 T8 T10 T15 T20 T25 T30
 850-E4 E5 E6 E8 E10
 850 S-E4 E5 E6 E8 E10
 900-E10 E12 E14 E18 E20 E24
 900 S-E10 E12 E14 E18 E20 E24
 992-T40 T45 T50 T55 T60
 995 S-T30 T40 T50 T55 T60
 2115-T 8 T10 T15 T20 T25 T27
 T30 T45 T50 T55 T60
 2223-T 8 T 9 T10 T15 T20 T25 T30
 2224-T40 T45 T50

HAZET No.	EAN-No. 4000896+
1555/64	003679



- □ drive 12.5 = 1/2"
- For inside and outside TORX® screws
- In sheet metal case
- With plastic insert
- 9 pieces

Contents:
 900-E10 E12 E14 E16
 992-T30 T40 T45 T50 T55

HAZET No.	EAN-No. 4000896+
1557 N/9	076444


HAZET – TORX® Tools

- ✓ Screw Driving Tool Sets
- ✓ Double Box-End Wrenches
- ✓ TORX® *HEXAnamic* Screwdrivers
- ✓ TORX® *trinamic*® Screwdrivers
- ✓ TORX® Screwdriver Sets for Electricians
- ✓ TORX® Sockets 6.3 1/4" 10 3/8" 12 1/2"
- ✓ TORX® Offset Screwdrivers
- ✓ TORX® Screwdriver Bits




Comparison

Hexagon Profile



HAZET TORX®



MADE IN GERMANY 
**DEUTSCHES
 WERKZEUG**

4



Advantages of TORX® Tools and Screws:

- The transmission of torque depends on the cross-section and the hardness only – there is no limitation of the transmission of torque due to the drive profile (e.g. 6-point profile).
- When tightening the screw, the force is transmitted between surfaces reducing considerably the deformation of the drive profile (notch effect): this reduces the wear of the tool and provides a longer service life.
- The heads of TORX® screws can be kept smaller than those of conventional screws, as the out effect. This provides space-saving solutions particularly in areas with restricted access.
- The TORX® profile ensures that the tool is always introduced vertically into the screw and prevents the cam-out effect.

TORX® the trademark of the Co. Acument Intellectual Properties LLC.

 is licensee for the manufacture of TORX® tools

TORX® Screw Driving Tool Set



167 x 97 x 37 mm

- □ drive 6.3 = 1/4", 10 = 3/8" and 12.5 = 1/2"
- For outside TORX® screws
- In plastic case
- With PUR foam insert
- 9 pieces

Contents:

850-E 4 E 5 E 6
880-E 8 E10 E12
900-E14 E18 E20

HAZET No.	EAN-No. 4000896+
1557/9	003907



167 x 97 x 37 mm

- □ drive 6.3 = 1/4", 10 = 3/8" and 12.5 = 1/2"
- For inside TORX® screws
- 10 pieces

Contents:

8502-T 8 T10 T15
8802-T20 T25 T30
992- T40 T50 T55 T60

HAZET No.	EAN-No. 4000896+
1557/10	003716



344 x 188 x 56 mm

- For inside and outside TORX® screws
- In plastic case
- With PUR foam insert
- 21 pieces

Contents:

880-E5 E6 E7 E8 E10 E11 E12 E14
8802-T15 T20 T25 T27 T30
T40 T45 T50
8815 8816P 8820 8821-3 6

HAZET No.	EAN-No. 4000896+
1557/21	003822

TORX® Screw Driving Tool Set



279 x 121 x 47 mm

- For inside and outside TORX® screws
- In plastic case
- With PUR foam insert
- 29 pieces

Contents:

609-E 6xE 8 E10xE12
E14xE18 E20xE24
850-E5 E6 E7 E8
880-E10 E12 E14
900-E10 E12 E14
992-T55 T60
2223-T10 T20 T25 T27 T30
2223-T30 H 2223Lg-T25
2224-T40 T45 T50
2250-1 3 5

HAZET No.	EAN-No. 4000896+
1557/29	003846



187 x 125 x 39 mm

- With Bits, 2 pieces each
- For inside TORX® screws
- In plastic case
- With PUR foam insert
- 32 pieces

Contents:

2223-T 6 T 7 T 8 T 9 T10
T15 T20 T25 T27 T30 à2
2224-T40 T45 T50 T55 à2
2250-1 2 3 5

HAZET No.	EAN-No. 4000896+
1557/32	003860



410 x 216 x 65 mm

TORX® Screw Driving Tool Set

- For inside and outside TORX® screws
- In plastic case
- With PUR foam insert
- 58 pieces

Contents:

609-E 6xE 8 E10xE12
E14xE18 E20xE24
803-T 6 T 7 T 8 T 9 T10
T15 T20 T25 T27 T30
850-E 4 E 5 E 6 E 7 E8
880-E10 E11 E12 E14
8802-T40 T45
900-E16 E18 E20 E24
992-T50 T55 T60
2115-T 6 T 7 T 8 T 9
T10 T15 T20 T25
T27 T30 T40
2223-T6
2223-T 7H T 8H T 9H T10H T15H
T20H T25H T27H T30H T40H
2223Lg-T25
2250-1 2
2264

HAZET No.	EAN-No. 4000896+
1557/58	003884

TORX® Selector




- For measuring the sizes of inside and outside TORX® screws, even in areas with restricted access
- With bore hole, therefore also suitable for tamper resistant TORX® screws (inside TORX® screws with centre pin)
- 12 parts
sizes T 10 up to T 60 and E 6 up to E 16

HAZET No.	EAN-No. 4000896+
1557 TS-1	062430

Comparison

Hexagon Profile



HAZET TORX®

