




M09.F

POWERFEED CONTACT

IMAGEM	DIMENSÃO	POSIÇÃO	APLICAÇÃO	CÓDIGO
	Ø25	Lower	H. L.	M09.FA97L-0001-0664
	Ø16	Upper & Lower	O, P, Q, R, T, W	M09.FA97L-0126-0001
	Ø10	Upper & Lower	K, N, M	M09.FA290-8008-X107
	Ø16	Upper & Lower	W-1, 2, 3, 4 AWF	M09.FA290-8032-Z882
	2,8 X 7,7 X 23	Upper & Lower	a-A, B	M09.FA290-8101-X750
	4T X 12 X 30	Upper & Lower	a-C, iA, iB	M09.F3A290-8110-X750
	4T X 12 X 23 4T X 12 X 26	Upper & Lower	a-C, iA, iB	M09.F2A290-8110-X750
	3T X 12 X 30	--	a-0B, 0C	M09.FA290-8008-X107
	Ø15 X 6 X 6	Lower	W0	M09.FA290-8048-X759

FLUSHING NOZZLE

IMAGEM	DIMENSÃO	POSIÇÃO	APLICAÇÃO	CÓDIGO
	Ø1,0	Lower Sub guide	a-A, B, C, iA, iB	M09.FA290-8110-Y774
	Ø1,5	Upper Jet nozzle	a-A, B, C, iA, iB	M09.FA290-8102-Y756
	Ø0,5	Upper Jet nozzle	a-A, B, C, iA, iB	M09.FA290-8102-Y757
	--	Nozzle base	a-C, iA	M09.FA290-8102-X723
	Ø15 X-6 X 6	Nozzle base	a-C, iA	M09.FA290-8110-Y723
	Ø3; 4; 5,5	Upper & Lower	O. P. Q. R. T. W	M09.FA290-8021-Y745
	Ø3; 4; 5,5	Upper & Lower	O. P. Q. R. T. W	M09.FA290-8021-Y755
	Ø5,5	Lower	W-1, 2, 3, 4	M09.FA290-8037-Y879
	Ø5,5	Upper	W-1, 2, 3, 4	M09.FA290-8032-Y611

M09.F

FLUSHING NOZZLE


IMAGEM	DIMENSÃO	POSIÇÃO	APLICAÇÃO	CÓDIGO
	--	Nozzle cap for F201 & 202	O. P. Q. R. T. W	M09.FA290-8021-V722
	--	Nozzle cap for F201 & 202	O. P. Q. R. T. W (Stainless)	M09.FSA290-8021-V722
	Ø7	Upper	W-0	M09.FA290-8048-X771
	Ø7	Lower	W-0	M09.FA290-8048-X772
	Ø2; 4; 6,5	Upper	a-A, B, C, iA, iB	M09.FA290-8111-X772 M09.FA290-8111-X774 M09.FA290-8111-X776
	--	Lower	a-A, B, C, iA, iB	M09.FA290-8101-X755
	Ø2; 4; 6,5	Lower	a-A, B, C, iA, iB	M09.FA290-8103-X772 M09.FA290-8103-X774 M09.FA290-8103-X776
	Ø2,0 Ø4,0 Ø6,5 Ø12	Upper	a-A, B, C, iA, iB	M09.FA290-8104-X775 M09.FA290-8102-X775 M09.FA290-8102-X751 M09.FA290-8102-X752
	Ø2,0 Ø4,0 Ø6,5 Ø12	Lower	a-A, B, C, iA, iB	M09.FA290-8104-X774 M09.FA290-8102-X774 M09.FA290-8102-X771 M09.FA290-8102-X772
	Ø4; 6,5	Upper	O. P. Q. R. T. W	M09.FA290-8109-X776

CONNECTED PARTS

IMAGEM	DIMENSÃO	POSIÇÃO	APLICAÇÃO	CÓDIGO
	--	Upper	O.P.Q.R.T.W	M09.FA290-8021-X765 M09.FA290-8021-X766 M09.FA290-8021-X767
	--	Lower	O.P.Q.R.T.W	M09.FA290-8021-X775 M09.FA290-8021-X776 M09.FA290-8021-X777
	--	Upper	T, W series	M09.FA290-8032-X775 M09.FA290-8032-X776 M09.FA290-8032-X777
	--	Lower	T, W series	M09.FA290-8032-X765 M09.FA290-8032-X766 M09.FA290-8032-X767
	--	Upper	a-A, B, C, iA, iB	M09.FA290-8101-X733 M09.FA290-8101-X734 M09.FA290-8101-X735

M09.F

CONNECTED PARTS				
IMAGEM	DIMENSÃO	POSIÇÃO	APLICAÇÃO	CÓDIGO
	--	Lower	a-A, B, C, iA, iB	M09.FA290-8101-X743 M09.FA290-8101-X744 M09.FA290-8101-X745
	--	Upper	a-A, B, C, iA, iB	M09.FA290-8092-X705 M09.FA290-8092-X706 M09.FA290-8092-X707
	--	Lower	a-A, B, C, iA, iB	M09.FA290-8110-X715 M09.FA290-8110-X716 M09.FA290-8110-X717
	Sub Guide	Upper	a-A, B, C, iA, iB	M09.FA290-8110-Y726
	Sub Guide	Upper	a-A, B, C, iA, iB	M09.FA290-8110-Y774
	Jet Nozzle	Upper	a-A, B, C, iA, iB	M09.FA290-8102-Y756
	Jet Nozzle	Upper	a-A, B, C, iA, iB	M09.FA290-8102-Y757

CONNECTED PARTS				
IMAGEM	DIMENSÃO	POSIÇÃO	APLICAÇÃO	CÓDIGO
	--	Lower	L	M09.FA290-8005-X722
	--	Lower	O, P, Q, R, T	M09.FA290-8021-X709
	--	Lower	W series	M09.FA290-8032-X334
	--	Upper	O, P, Q, R, W	M09.FA290-8121-X602
	--	Upper	a-A, C	M09.FA290-8110-Y774
	--	Lower	a-A, B, C	M09.FA290-8101-X312
	--	Lower	a-A, C	M09.FA290-8101-X761
	--	Wire guide	a-A, C	M09.FA290-8102-X393
	--	--	Bearing for F401 & F402	M09.FA97L-0001-0670
	Ø49 x 6,5 x 6	Lower	W series (Sus body+Plastic)	M09.FA290-8004-X713

M09.F

CONNECTED PARTS				
IMAGEM	DIMENSÃO	POSIÇÃO	APLICAÇÃO	CÓDIGO
	Ø49 x 6,5 x 6	Lower	W series (Sus body+Ceramic)	M09.FCA290-8004-X713
	Ø49 x 6,5 x 6	Lower	W series From Stainless W series From Ceramic	M09.FA290-8004-V316
	Ø64 x 6,5 x 6	Lower	W series	M09.FA290-8006-X707
	--	Lower	a-A, B	M09.FA290-8103-X762
	--	Lower	a-C	M09.FA290-8110-X770
	--	Feed section	a-A, B, C	M09.FA290-8101-X394
	--	Pinch roller	a-A, B, C From Ceramic	M09.FA290-8101-Z382
	--	Pinch roller	a-A, B, C From Stainless	M09.FA97L-0201-0369
	--	Feed roller	a-A, B	M09.FA290-8101-Z383
	--	Feed section	a-A, B, C	M09.FA290-8102-X393
	--	Brake shoe	a-A, B, C, iA, iB	M09.FA290-8101-X371
	--	Brake shoe	O, P, Q, R, W	M09.FA290-8039-V352
	--	Brake shoe	W0 AWT	M09.F0A290-8039-V352
	--	Pinch roller	a-C	M09.FA290-8110-X382
	--	Feed roller	a-C	M09.FA290-8110-X383
	--	Guide base	a-C, iA, iB	M09.FA290-8110-X762
	--	Pinch roller	ai-0, A, B	M09.FA290-8112-X382
	--	Feed roller	ai-0, A, B	M09.FA290-8112-X383
	--	Bearing	SSRF2280H a-A, B, C, iA, iB	M09.FA97L-0001-0670

M09.F

CONNECTED PARTS				
IMAGEM	DIMENSÃO	POSIÇÃO	APLICAÇÃO	CÓDIGO
	--	Bearing	6001LLU a-A, B, C	M09.FCA97L-0201-0369
	--	Bearing	SS6203LLU a-A,B	M09.FA97L-0201-0369
	Ø80 x Ø28 x 18	Pinch Roller	O, P, Q, R, W	M09.FA290-8037-X331
	Ø80 x Ø11 x 24	Feed Roller	O, P, Q, R, W	M09.FA290-8037-X330
	Ø60 x Ø28 x 18	Pinch Roller	W0 AWT	M09.FA290-8037-X805
	Ø23 x Ø12 x 12	Upper Ceramic Roller	W0	M09.FA290-8101-X765
	--	V Ditch Guide	W	M09.FA290-8021-Y701
	--	Guide Holder	W	M09.FA290-8021-Y712
	--	Chuck	a-C, a-i	M09.FCA290-8102-X656
	--	Electro Screw	a-A, C	M09.FEA290-8102-X656
	--	Cutting Electro	a-A, C	M09.FA290-8102-X657
	--	Chuck Rubber	a-A, B, C	M09.FA290-8112-X656
	--	Screw	a-A	M09.FA290-8112-X752
	--	"V" Packing	a, a-i (4")	M09.FA98L-001-0972
	--	"V" Packing	a, a-i (6")	M09.FA98L-001-0973
	--	Right Roller	--	M09.FA290-8032-V742
	--	Left Roller	--	M09.FA290-8032-V746